PUBLIC HEALTH REPORTS

VOL. 31

OCTOBER 27, 1915

No. 43

SANITATION IN THE PHILIPPINE ISLANDS.

WORK OF THE SANITARY COMMISSIONS.

By J. D. Long, Surgeon, United States Public Health Service.

The progress of sanitation in the Philippine Islands may be best considered by classifying it in two periods: First, the period of elimination of the graver epidemic diseases; second, the period of constructive sanitation.

The first period, or that of the elimination of grave epidemic diseases, extended from the beginning of the American occupation to and including the year 1908. During this period the principal efforts of the health authorities were directed toward controlling outbreaks of cholera, systematically vaccinating the inhabitants to get rid of smallpox, and taking measures to eliminate bubonic plague. The results have been satisfactory in that smallpox and plague have been, for all practical purposes, eliminated, and cholera has been so effectively controlled that it can no longer be considered a menace and, it is believed, can never again assume serious epidemic proportions.

The second period, or that of constructive sanitation, began in 1906, when investigations were begun with a view to improving the general water supply of the islands. After careful study of such data as were available, it was determined that the best general solution of the question would be the drilling of artesian wells at such points as might be possible throughout the Archipelago. Investigations that had been made indicated that the percentage of failures would probably be small, that the cost would not be prohibitive, and that the results would be satisfactory. Prior to 1906 there were only 12 water-supply installations which might be considered as satisfactory. The first artesian wells put down during the year 1907 were satisfactory as to flow and potability of water, and their success immediately created a strong desire for artesian wells in all portions of the islands. Since that time the number has

201

(2963)

increased until there are now over 1,200 wells furnishing a very satisfactory quality of drinking water. In addition, several gravity systems have been installed and are giving satisfaction.

As early as 1906 it was realized that to supplement the artesian wells some cheap and easily installed type of sewage-disposal system must be developed to handle that phase of the situation. Studies were begun and various ideas were worked out. None, however, seemed to meet the requirements. Numerous attempts have since been made to solve the question by the use of pits, the installation of pail systems, and by various other methods. Generally, however, the results obtained were worse than the original condition, on account of the fact that proper care was not taken and serious nuisances were created.

During 1915 the results that had been obtained by the use of the water of artesian wells and from the use of the various types of sewage disposal that had been tried were reviewed. It was soon learned that, while considerable benefit had resulted, especially from the wells, morbidity and mortality rates were still much too high, and additional information as to causes of morbidity and mortality was imperative. In order to meet the need for accurate information, so that the remedy when developed might correct the condition for which it was evolved, it was decided to form sanitary commissions along the lines and for the purposes indicated below.

The first commission was established and placed in the field in June, 1915, beginning its operations in Pasig, Rizal. It was composed of a physician, an engineer, a bacteriologist, district nurses, and a sanitary inspector. Additional personnel as needed were added from time to time or obtained from the municipality of Pasig.

The commission was instructed to make investigations upon the following points: (1) Prevailing types of disease; (2) factors which contribute to the spread and extension of these diseases; (3) prevalence of intestinal parasites; (4) best methods of improving water supply, sewage and garbage disposal, and as to the possibility of improving housing and living conditions through proper utilization of means and materials locally obtainable; (5) drainage and canalization to obviate fly and mosquito breeding; (6) possibility for bettering building location and arrangement so as to improve lighting, ventilation, building sites, etc.; (7) possible improvements of health organizations with especial reference to personnel, employment of visiting nurses, etc.; (8) possibility of establishing sanitary markets and dairies; (9) investigations into the financial status of the municipality for the purpose of carrying out the recommendations that were to be made by the commission.

The first step of the commission upon arriving at Pasig was to locate itself in rooms provided in the municipal building, to establish its laboratory, to open a clinic for the gratuitous treatment of the inhabitants, and to take a census of the community.

The census showed that the population of Pasig was 14,752, as compared with a population of 11,278 in 1903, when the official census was taken.

The prevailing diseases causing the greatest morbidity and mortality were found to be as follows:

Among adults—(1) Diseases of the respiratory system, as bronchitis and tuberculosis; (2) diseases of the gastrointestinal system, as acute and chronic enteritis, gastritis and dysentery. Among children the great causes of morbidity and mortality were respiratory and nutritional diseases—under respiratory, rhinitis and bronchitis; and under nutritional, infantile beriberi, marasmus, and diarrheas.

The mortality per thousand inhabitants was, during the year 1914, 36.64, as compared with 82.4 in 1903. The high rate in 1903 was due to the presence of cholera, which did not exist in 1914. Eliminating cholera, therefore, in order to place the two rates upon the same basis, the corrected rate for 1903 was shown to be 68.2 per thousand per annum.

The increase in population was shown to be due almost entirely to immigration, as during the entire period the difference between the birth and death rate averaged only about 1 per cent in favor of the birth rate.

The principal factors which contributed to the spread and extension of diseases were determined to be as follows:

In adults, respiratory diseases were caused by faulty personal hygiene, lack of ventilation, failure properly to dispose of sputum and pulmonary excretions, overcrowding in houses, particularly sleeping quarters, and lowered vitality due to lack of a properly balanced and nutritious diet.

The factors which contributed to the spread and extension of intestinal diseases among adults were almost exclusively a poor water supply and lack of proper sewage disposal.

Poor water supply: Of the total population of 14,752 inhabitants, 26.62 per cent obtained water from satisfactory sources. The handling, however, was faulty and infection occurred either in transit or in the house.

Of the remaining population, 54.5 per cent drank from surface wells and 18.8 per cent used river water. Of 89 surface wells examined the highest bacterial count was 89,600 bacteria per c. c. and the minimum 237 per c. c.; 74.16 per cent contained *Bacillus coli*. The count of river water varied from 14,219 per c. c. to 1,145 per c. c.

Of the soft drinks manufactured and consumed in Pasig 35.49 per cent contained the colon bacillus, 74.19 per cent contained anerobic bacilli, 58.06 per cent contained amebæ, 22.58 per cent contained

ciliates, and 83.87 per cent contained flagellates. The maximum count per c. c. was 96,000 and the minimum 28.

Another factor of importance in the spread of intestinal diseases was the lack of sewage-disposal facilities, with resulting infections by intestinal parasites. Of a total of 3,246 houses in Pasig, only 3.7 per cent, which represented 5.6 per cent of the population, were provided with toilets of a kind which could be considered as meeting the minimum sanitary requirements. The garbage collection was intermittent and unsatisfactory, and no containers for house refuse were used, the garbage being piled in heaps and later collected into wagons which hauled it away and dumped it.

The factors which contributed to the spread of disease among infants were as follows:

With reference to air-borne diseases—Lack of bathing, lack of adequate and clean clothing, slovenliness on the part of the mother in cleaning the baby's nose and mouth with any rag that happened to be convenient and which, as likely as not, had been used by another person, and feeding the baby with food that had been masticated by another person.

The factors which contributed to the spread of intestinal diseases among children were stated to be as follows: (1) Faulty nutrition of the mother due to a lack of a properly balanced and nutritious diet, with consequent low food value of the mother's milk and insufficient quantity; (2) the presence of beriberi in 10 per cent of women in the child-bearing period; (3) improper and irregular feeding of the child; (4) the general use of basabasa, or a sort of broth or soup made from polished rice, to supplement the mother's milk after 6 months of age; (5) the infection of the mother's milk itself and lack of proper milk for artificial feeding.

Examination of Milk.

Sixty-six samples of carabaos' and goats' milk were examined. The maximum bacterial count was 6,720,000,000 per c. c., and the minimum 450,000. Bacillus coli was present in 54.4 per cent of specimens examined, chromogenic staphylococci and streptococci in 17.6 per cent, and bacillus pyocyaneus in 4.4 per cent, respectively.

In 11 specimens of mothers' milk examined, all collected with sterile breast pumps after a thorough disinfection of the breast and plated immediately after withdrawal, the bacterial count resulted as follows: 120,000 per c. c. in 2 cases, 70,000 per c. c. in 1 case, 25,000 in 2 cases, 20,000 in 1 case, and 10,000 in 5 cases. The organisms commonly found were of the staphylococcus group with colon occasionally present. Further investigations of this discovery are now being carried on by the Bureau of Science for the purpose of determining how to prevent this condition and to determine its

cause. There can be no doubt that the great prevalence of diarrhea among small children and the frequency of deaths from convulsions and meningitis are due to the presence of these pus-producing organisms in the breast milk of the mother. The theory has been advanced that these organisms are present in the mother's milk due to the low vitality of the mother as a result of faulty nutrition and unhygienic methods of living which bring about an inability to resist the invasion of such organisms and prevent their growth up and into the milk ducts. Blood cultures were made to determine whether a bacteriemia existed which might have produced the condition, but with invariably negative results.

Prevalence of Intestinal Parasites.

Of 1,036 subjects examined, 94.69 per cent were found to harbor intestinal parasites. The parasites found and their percentages were as follows: Trichiura, or whipworm, 70 per cent; ascaris, or roundworm, 65 per cent; ankylostoma, or hookworm, 11 per cent; oxyurus, or pinworm, 10.42 per cent; ameba, 4.72 per cent. The rest consisted of strongyloides, trichomonas, balentidia, tapeworms, and fasciolæ. Thirty-eight and twenty-three-hundredths per cent had single infections, 46.95 per cent had double infections, and the rest had either triple, quadruple, or quintuple infections.

Methods of Improving Water Supplies, Sewage and Garbage Disposal.

Attempts were made to develop sterilization methods which would render existing water supplies fit for human consumption, and while fairly satisfactory methods were worked out with a cost sufficiently low to make them practicable, they are not recommended for general use on account of the fact that more and better care in their application is required than was found to be locally available.

As a result of geological studies made by the sanitary engineer early in 1915, two artesian wells had been drilled in the location selected, with the result that a sufficient amount of potable water is now available which will shortly be conducted into the town and a house service furnished through a local system of distribution-to be established by the municipality. It is believed that the question of water supply will thus be satisfactorily solved.

The question of sewage disposal will be met by recommending as a minimum requirement the installation of what has been designated as the Antipolo system of sewage disposal. Briefly, this system consists in the excavation of a pit in the earth, the sides of which are protected with retaining walls to prevent caving; the bottom will be left exposed so that liquids may readily absorb into the surrounding ground; the pit will be covered with stone, concrete, or

boards covered with not less than 20 centimeters of earth. Into this pit will be conducted two pipes—one through which the fecal matter enters and the other to serve for ventilation, being effectually screened against flies and mosquitoes. After defecation the entrance pipe is cleansed by flushing with a bucket of water. A seat with an automatically closing lid is provided to prevent the ingress and egress of insects. Waste water from the kitchen and back porch (batalan) is conducted into the pit after being received upon a bed of broken stone, which removes all grit and coarse matter. Observations conducted in the town of Antipolo, where systems resembling this type have been in use for a number of years, have shown that they give satisfaction with a minimum of care when constructed along the lines indicated. The cost of materials and installation, not including labor, will not exceed 10 pesos.

A method of garbage disposal has been recommended which consists in the provision of proper receptacles at each house, frequent collection, and disposal by using for filling purposes, the garbage at place of dumping to be covered with clean earth immediately

after being dumped.

Recommendations were made as to the improving of housing conditions by the development of what is known as a "model sanitary house," which is constructed throughout of bamboo in such manner as to provide plenty of light and ventilation, a sufficient number of rooms to provide for separation of sexes and to avoid overcrowding, to contain a separate kitchen and dining room, an Antipolo type of sewage disposal, and room for the installation of a cheap shower bath.

A thorough and complete investigation was made of living conditions for the purpose of determining the average income and the method in which it is expended. It is not believed, however, that sufficient data have as yet been obtained as regards income to make a positive statement. The following, however, was developed:

The food or ration now used by the average Filipino family is poorly balanced and lacking in nutritive properties, and is poorly prepared and served. It is poorly balanced in that the preponderant element is rice, polished, and as a rule of inferior quality. The protein element, particularly as regards animal protein, is lacking. There is also an insufficiency of fat, and vegetables and fruits are not used in anywhere near the proportions in which they should be used. The food as a rule is poorly prepared, insufficiently cooked, and improperly served; it is eaten in a great majority of instances with the fingers by dipping into a common dish, and meals are at irregular intervals. After a sufficient number of towns have been investigated and the problem of obtaining, preparing, and serving a properly balanced diet has been sufficiently studied, definite recommendations

for general use will be worked out, which will include sample menus, cost data, instructions as to preparation and balancing of constituents, and as to serving and use.

Drainage and Canalization to Prevent Fly and Mosquito Breeding.

Occasional attempts at drainage and canalization were noted on the part of individuals only. The streets were narrow, muddy, and without side canals for drainage, were poorly graded and very crooked. Low lands existed in various places and were found to be harboring and breeding mosquitoes. Vacant lots were found to contain garbage and rubbish of various sorts and served as fly-breeding foci. In order to correct these conditions a careful study of the topography of the town was made by the engineer and a map prepared which shows how, with a minimum of expenditure and effort, the streets may eventually be widened and straightened and the houses and lots relocated in such manner as to create a town with straight, wide, and well-laid streets, and building lots of sufficient size.

Improvements in Health Organization.

This will be automatically cared for by the operation of act 2468, which provides for the inclusion of the municipalities of the islands into sanitary divisions under the control of the provincial health officer, presidents of sanitary divisions, and other local health officials. In Pasig a visiting nurse has already been provided as a result of the energy of the woman's club which was formed after observing the work done and the results obtained by the nurses attached to the sanitary commission. A free clinic for the treatment of infants' diseases and for demonstrations of methods of preparing infant food and for actual infant feeding in case of illness is open daily in the "sanitary house."

Markets, Dairies, Etc.

The town is already in possession of a modern concrete market, which, however, is not being maintained in as good condition as might be. This will be corrected by inspection through the health organization. It was found that toilet facilities were inadequate for the great numbers who daily go to market, and funds have since been appropriated for the construction of the additional facilities needed and of an additional wing to the market. The establishment of dairies has not so far been brought about. The dairy problem in Pasig is the same as anywhere else in the islands and requires such an outlay of capital and so great an expense for supervision, inspection, bottling, and refrigeration as to make the price of milk prohibitive to all except a few. The municipal slaughterhouse is a building of strong materials immediately adjoining the

market, with a concrete floor and well-laid drains. The municipal cemetery was found to be maintained in good condition. The few factories which exist in Pasig are small in size and primitive in methods. Unsatisfactory hygienic conditions were found, but upon recommendation they were improved.

Investigation of the municipal revenues showed that as now collected and managed they are sufficient for present needs only. It is believed, however, that with more care in collection the total could be somewhat increased. The principal need is for economic development. Possibilities are believed to exist in three directions,

namely, agriculture, pottery, and shoe manufacture.

The principal product of agriculture in Pasig is rice. But one crop a year is obtained and the yield can not be considered as high. It is believed that the establishment of small and inexpensive irrigation systems through the use of artesian or surface wells and through the use of surface waters pumped by either gasoline or oil engines or by windmills would be productive of an increase in crops. Also, a greater variety of crops would be of advantage both financially and as a means of supplying a better balanced diet.

The pottery industry is conducted by a number of individuals who are constantly in competition with each other. It is believed that should the plan be adopted of standardizing, through cooperation, the product manufactured and marketing through a central agency, a better product and higher returns could be obtained.

The third industry is that of manufacturing shoes for native consumers. The same remarks apply to this as to the pottery industry.

Upon the conclusion of the investigations, ordinances were prepared which will be furnished to the municipality for enactment. Through their intelligent enforcement under the stimulus and direction of the district health officer, the president of the sanitary division, and the other local health officials, with the cooperation, assistance, and encouragement of the central office of the Philippine health service, it is believed that sanitary conditions in Pasig can gradually, during the next few years, be much improved, to the ultimate benefit not only of the community of Pasig but of other communities which will undoubtedly follow its example.

Follow-up work will be continued through visits, talks, movingpicture shows, demonstrations, etc., so that the interest that has been aroused will not be allowed to lag. Then, in the course of a year or so, another study of the town will be made along the same lines as the first investigation in order to determine how much ground has been gained, and for the purpose of correcting faults that may now exist undiscovered or that may unconsciously or otherwise develop in the future. Since the first commission took the field in June, 1915, another commission has been formed.

The two commissions have been continuously at work during the year and have completed their investigations and made recommendations for the following towns: Pasig, Rizal; Antipolo, Rizal; Paranaque, Rizal; Las Pinas, Rizal. The original commission will complete its work by August, 1916, in Navotas, Rizal; the second commission is now completing its labors at Boac, Marinduque; and a third commission is being formed.

THE NEW EDITIONS OF THE U. S. P. AND THE N. F.

A REVIEW OF THE PHARMACOPGIA OF THE UNITED STATES OF AMERICA, NINTH DECENNIAL REVISION, AND OF THE NATIONAL FORMULARY, FOURTH EDITION.

By M. I. Wilbert, Technical Assistant, Division of Pharmacology, Hygienic Laboratory, United States Public Health Service.

The Pharmacopæia of the United States of America, ninth decennial revision, and the National Formulary, fourth edition, which are decreed to be official from September 1, 1916, are now available in the ordinary channels of trade. Public health officials and others intrusted with the enforcement of pure drug laws will no doubt be interested in the nature and composition of these two books that are recognized by law as standards for drugs and preparations and which are generally used as the basis for prosecution in cases involving adulteration or the misbranding of drugs. The two books were this time published simultaneously, and for the first time in their history an effort has been made to have them in harmony as to contents and standards.

The Pharmacopæia of the United States, ninth decennial revision, contains a total of 80 and 728 large octavo pages and in general appearance and style the book has much in common with the previous edition of the Pharmacopæia, now out of date, though in fact every monograph has been rewritten and practically every line in the book revised. The preparatory pages of the Pharmacopæia include a table of contents, a short historical introduction with a review of the proceedings of the ninth decennial convention in 1910 and a preface in which the changes in the Pharmacopæia are briefly outlined. The introductory pages also include a number of tables. among others a review of the International Protocol compared with the drugs and preparations of the U. S. P. IX. and lists of the admissions, deletions, and changes in the official Latin titles and in the official English titles of the Pharmacopæia followed by a comparative table showing the strength of the more important pharmaceutical preparations in the preceding and in the present Pharmacopæia.

The main portion of the Pharmacopæia or Part I, as it is sometimes designated, comprises 497 pages and contains monographs for 782 articles including 9 general headings, 188 drugs, 265 chemicals, and 320 preparations as against 958 articles included in the U. S. P. VIII.

The list of articles dismissed from Part I of the U. S. P. includes 242 titles, while the list of articles added to Part I includes 66 titles, a net decrease of 176. The list of changes in the official Latin titles of the U. S. P. VIII includes 29 articles and the list of changes in the official English titles from the U. S. P. VIII includes 28 articles. The number of titles included in the U. S. P. IX from the U. S. P.VIII

unchanged is 680.

The remaining portion of the book, now designated as Part II, includes a table of atomic weights based on oxygen = 16, a table of the elements and pharamacopæial chemicals and their molecular weights, and a table of multiples; also a list of reagents and test solutions and volumetric solutions followed by directions for general tests. A table of alcoholic content in preparations of the Pharmacopæia is accompanied by directions for the determination of alcohol in official preparations and is followed by general directions for alkaloidal assays and for the determination of certain physical and chemical constants; also directions for percolation and for steriliza-This portion of the book also contains an extensive list of diagnostic reagents and clinical tests and a comprehensive table of thermometric equivalents; alcoholometric tables and tables for temperature corrections. The Pharmacopæia also contains the usual acid and alkali tables, tables of weight and volume relations, and tables for converting metric quantities to quantities in apothecaries' weights and measures. This part of the book also includes a double column index of 66 pages that is unusually complete for a book of this type.

The National Formulary, fourth edition, includes 40 and 394 large octavo pages, and in general appearance is quite distinct from the preceding edition. The preliminary portion of the book includes a short historical introduction and a preface in which the changes represented in the Formulary are briefly summarized. This part also contains a list of preparations added to the National Formulary and a list of preparations dropped from the National Formulary; also a list of changes in the official Latin titles. The preparatory pages also contain a rather complete discussion of sterilization,

followed by a number of special notices.

Part I of the National Formulary comprises 255 pages and contains a total of 596 titles, including 12 general formulas and 584 galenical preparations. The total number of preparations deleted from the National Formulary aggregates 183, and the total number of preparations added to the National Formulary totals 201, a net

gain of 18 over the third edition. All of these titles are now included in Part I of the National Formulary. No less than 90 fluidextracts are now included in the National Formulary. Of these, 50 are new in the present edition, 30 being taken over from the U. S. P. VIII. The elixirs constitute the second largest group of preparations. This class now numbers 79; 23 were deleted and 10 new preparations added. Solutions come next, with 54 titles, followed closely by tinetures, with 50 preparations. Among the preparations new to the present edition are fluidglycerates, sprays, and ready-made petroxolins. The steatins, or salve mulls, of the N. F. III are now classed simply as mulls.

Part II of the National Formulary, which is now devoted to a description of standards for drugs used in the National Formulary preparations but not included in the Pharmacopoeia of the United States, is entirely new. This part includes a total of 98 pages, with descriptions of 186 drugs, 140 of vegetable origin, 6 of animal origin, and 40 chemicals. This portion of the National Formulary was prepared by the Committee on Standards of the American Pharmaceutical Association, under the able leadership of George M. Beringer as chairman.

Part III of the National Formulary is also a novel feature and includes a number of special tests reprinted from the Pharmacopoeia of the United States, ninth decennial revision, by special permission of the board of trustees of the United States Pharmacopoeial Convention. The book also includes a double-column index of 30 pages that will serve to facilitate reference.

Both of these books have been practically rewritten and in their present form are designed to overcome the criticism that has heretofore been directed at fixed standards. Many, if not all, of the requirements in these books, as outlined in the revised standards, fix a minimum as well as a maximum requirement for purity and, as has been pointed out before, no books of standards available at the present time come so near to theoretical perfection as do the new editions of the Pharmacopoeia of the United States and the National Formulary that are now being distributed.

The purity rubric introduced in the Pharmacopoeia of the United States a decade or more ago has been considerably elaborated, and in the present edition of the Pharmacopoeia the rubric for practically each article is accompanied by a specific method of assay. In many instances the permissible variation from the average is less than 5 per cent, and it is only in an exceptionally few instances that this permissible variation exceeds 10 per cent.

The comparative table showing the strength of the more important pharmacopœial substances and preparations which is included in the introductory portion of the ninth decennial revision of the Pharmacopæia of the United States, includes a total of 193 titles; 85 chemicals, 25 drugs, and 83 preparations. For no less than 34 of these drugs and preparations the previous Pharmacopæia contained no assay method or purity requirement. The requirement in connection with 25 of the chemical substances has been slightly increased and in connection with 22 chemicals has been slightly decreased, while one article, calcium chloride, has been changed from the anhydrous to the hydrated form, or from 99 to 75 per cent of CaCl₂. The alkaloidal content of hyoscyamus has been changed from not less than 0.08 per cent to not less than 0.065 per cent of the alkaloids from hyoscyamus and the requirement for pilocarpus has been raised from 0.5 per cent to 0.6 per cent of the alkaloids from pilocarpus. The requirement for oil of clove has been changed from not less than 80 to not less than 82 per cent of eugenol and the requirement for oil of cassia has been correspondingly changed from not less than 75 to not less than 80 per cent of cinnamic aldehyde.

The strength of 9 galenical preparations has been slightly increased and that of 11 preparations slightly decreased. The more important changes in this connection are those evidenced by the preparations of opium which, in compliance with the international treaty of 1906, are now on a basis of 10 to 10.5 per cent of anhydrous morphine in place of from 12 to 12.5 per cent of crystallized morphine in the U. S. P. VIII. All of these several changes are, however, negligible in comparison with the now general practice of definitely stating the maximum as well as the minimum strength of preparations

of active drugs.

No pharmacopæia now in force contains so many directions for assay as does the new Pharmacopæia of the United States. The total number of assay requirements in the new pharmacopæia aggregates 287; 157 of which are for chemicals, 44 for drugs, and 86 for

preparations.

Of the 44 drugs, 16 are directed to be assayed chemically for alkaloids, one is to be assayed biologically for the relative activity of its constituents, and in connection with five additional drugs a biological method of assay is recommended. One of the drugs, aconite, is to be assayed both chemically as well as physiologically. Three drugs are to be assayed for resins, three enzyme preparations are to be tested for their enzyme action, and 13 volatile oils are to be assayed for active constituents.

Of the 86 preparations, 36 are to be assayed chemically for alkaloids, three are to be tested biologically for their activity, and for 11 others an optional biological method of testing is recommended.

The assay methods for galenical preparations include seven assays for diluted acids, one alkaloidal assay for a plaster, nine chemical

assays for alkaloidal content of extracts, and one biological assay; 11 alkaloidal assays for fluid extracts and three biological assays, one required and two recommended. Of the 18 tinctures included in the list 12 are to be assayed for alkaloids, 2 for their chemical constituents, 1 is required to be assayed biologically, and for 4 others a biological assay is recommended.

In view of the great care that has been exercised to standardize drugs and their preparations it is rather disappointing to find that the committee of revision has reintroduced into the Pharmacopæia almost unchanged the tables of approximate measures that were included in the eighth edition of the Pharmacopæia. In connection with the metric system this effort to force the use of this table is altogether unfortunate as the quantities given are not metric, do not comply with the practices in other countries, and do not agree with the actual capacities of the spoons named in the table.

The National Formulary, just out, includes methods of assay under 52 different titles, 23 preparations, 7 drugs, and 22 chemical substances. Of the 7 drugs, 4 are to be assayed for alkaloids, 1, rennin, is to be tested for its milk curdling properties, 1, lime juice is to be tested for acid content and 1, oil of bergamot, is to be assayed for linalyl acetate. The requirement for chemical substances in the National Formulary are quite as high as the requirements that have been included in the Pharmacopæia and the permissible variation is frequently not more than 5 per cent from the apparent average on which the variation is based.

From the point of view of officials intrusted with the enforcement of food and drug laws, the question naturally arises, are these theoretically much improved standards practically applicable at the present time and are the standards for excellence that have been set in connection with the maximum and minimum limitations equitable and attainable from a practical point of view, or have the limitations been fixed at too narrow a range for pharmacists who are expected to comply with them. If practical and attainable the now official requirements and methods of assay will undoubtedly serve to insure to physicians, and through them to their patients drugs and preparations more uniform in strength and composition than have hitherto been available and to this extent the two books should make for progress in medicine and related sciences.

Recognizing the difficulties entailed by the innovations included in the two official books of standards, the United States Public Health Service has now in course of preparation a bulletin on the changes in the Pharmacopæia and the National Formulary. This compilation will appear as "Hygienic Laboratory Bulletin No. 107, A Digest of the Changes and Requirements included in the Pharma-

copæia of the United States, Ninth Edition, and National Formulary, Fourth Edition, with References to the Titles not Continued from the Preceding Editions." This bulletin is designed to be of use as a comprehensive index to the titles included in the U.S. P. VIII, the U. S. P. IX, the N. F. III, and the N. F. IV and will serve to indicate the present status of any given article. It was thought that a compilation of this kind would be of considerable advantage to officials intrusted with the enforcement of food and drug laws as well as to pharmacists and others whose business requires them to be familiar with the content of the several editions of the Pharmacoperia and the National Formulary. At the present time the titles to be included in one alphabetical list are distributed over six different alphabetical arrangements and four distinct indices. The changes in the scope of the two books and in the titles and composition of articles contained therein serve to emphasize the possible value of a ready reference list to the now official articles.

Applications for this bulletin should be addressed: The Surgeon General, United States Public Health Service, Washington, D. C., and should specify both the number and the title of the publication.

PLAGUE-PREVENTION WORK.

CALIFORNIA.

The following report of plague-prevention work in California for the week ended September 30, 1916, was received from Passed Asst. Surg. Williams of the United States Public Health Service, in charge of the work:

FEDERAL AND COUNTY INSPECTION SERVICE. (For the enforcement of the law of June 7, 1913.)

	in- rein	Number	Acres	Acres	Acres treated.		
Counties.		rein- spected.	in- spected.	rein- spected.	Waste balis.	Grain.	Holes treated.
Contra Costa	5	59 101	1,483	17,977 29,967	25	3,520 3,491	500
Stanislaus 1	7	59 31	2,997	30, 150 4, 082	344	13,920 794	112
Merced	21	16	5,565 13,465	14,396 8,300		13,581 11,425	
San Benito Santa Clara	26 27 52	46 12	15,911 9,876	27,607 6,960		16,859 3,930	
San Mateo	8	3	2,470	373		200	
Total	146	336	51,767	139,812	369	67,720	613

Acres treated with hose and funnel, 98.

RATS COLLECTED AND EXAMINED FOR PLAGUE.

Cities.	Collected.	Examined.	Infected.
Oakland	42 30 51	42 30 51	None. None.
Total	123	123	None,

RECORD OF PLAGUE INFECTION.

Places in California.	Date of last case of human plague.	Date of last case of rat plague.	Date of last case of squirrel plague.	Total number ro- dents found in- fected since May, 1997.
	•			
Cities:				
San Francisco	Jan. 30, 1908	Oct. 23, 1908	(1)	398 rats.
Oakland	Aug. 9, 1911	Dec. 1,1908	(1)	126 rats.
Berkeley	Aug. 28, 1907	(1)	(1)	None.
Los Angeles.	Aug. 11, 1908	(1)	Aug. 21, 1908	1 squ'rrel.
Counties:				
Alameda (exclusive of Oakland and Berkeley).	Sept. 24, 1909	Oct. 17, 1909?	June 23, 1916	293 squirrels; 3
Contra Costa	July 13, 1915	(1)	June 28, 1916	1.629 squirrels.
Fresno	(1)	(1)	Oct. 27, 1911	1 squirrel.
Merced		(1)	May 12, 1916	7 squirrels.
Monterey	(1)	(1)	May 27, 1916	38 squirrels.
San Benito	June 4, 1913	(1)	July 1, 1916	72 squirrels.
San Joaquin	Sept. 18, 1911	(1)	Aug. 26, 1911	18 squirrels.
Santa Clara	Aug. 31, 1910	(1)	June 21, 1916	32 squirrels.
San Luis Obispo	(1)	(1)	Jan. 29, 1910	1 squirrel.
Santa Cruz	(1)	(1)	May 30, 1916	5 squirrels.
Stanislaus	(1)	(1)	June 2, 1911	18 squirrels.
San Mateo	(1)	(1)	June 21, 1916	1 squirrel.

1 None.

2 Wood rat.

The work is being carried on in the following-named counties: Alameda, Contra Costa, Stanislaus, Monterey, San Benito, Santa Cruz, Merced, Santa Clara, and San Mateo.

OPERATIONS ON THE WATER FRONT.		OPERATIONS ON THE WATER FRONT-contin	ued.
Number of vessels inspected for rat guards	18	Poisons placed on water front	3,600
Number of reinspections made on vessels	2	Bait used on water front and vessels, bacon	
Number of new rat guards procured	14	(pounds)	6
Rats trapped on vessels	24	Amount of bread used in poisoning water	
Rats trapped on wharves and water front	55	front (loaves),	12
Number of traps set on vessels	129	Number of pounds of poison used on water	
Number of traps set on wharves and water		front	4
front	284	Poisons placed within Panama-Pacific In-	
Number of vessels trapped on	17	ternational Exposition grounds (pieces)	36,000

The following is a record of municipal work performed under the supervision of the United States Public Health Service:

COOPERATIVE MUNICIPAL WORK.		WORK DONE ON OLD BUILDINGS.	
Number of premises inspected	691	Wooden floors removed	8
Number of nuisances abated	83	Number yards and passageways, planking	
Number of rats trapped	79	removed	3
Number of rats sent to laboratory	79	Cubic feet new foundation walls installed	3, 440
Number of rats examined	76	Concrete floors installed (square feet, 8,395)	10
Number of poisons placed	50, 200	Number of basements concreted (square feet,	
Number of garbage cans stamped approved.	300	11,070)	14
Rats identified:		Yards and passageways, etc., concreted	
Mus norvegicus	24	(square feet, 3,710)	8
Mus rattus	19	Total area concrete laid (square feet)	23, 175
Mus alexandrinus	36	Number floors rat proofed with wire cloth	
		(square feet, 1,850)	3

LOUISIANA-NEW ORLEANS-PLAGUE ERADICATION.

The following report of plague eradication work at New Orleans for the week ended October 7, 1916, was received from Passed Asst. Surg. Simpson of the United States Public Health Service, in charge of the work:

OUTGOING QUARANTINE.		LABORATORY OPERATIONS—continued	1.
Number of vessels fumigated with sulphur.	3	Rodents received by species-Continued.	
Number of vessels fumigated with cyanide		Mus alexandrinus	184
gas	. 13	Mus musculus	9,624
Pounds of sulphur used	70	Wood rats	169
Pounds of cyanide used in cyanide gas fu-		Muskrats	8
migation	775	Putrid	263
Pints of sulphuric acid used in cyanide gas		Total rodents received at laboratory	11, 194
fumigation	1,166	Rodents examined	1,692
Clean bills of health issued	44	Number of rats suspected of plague 1	29
Foul bills of health issued	3	Plague rats confirmed	2
FIELD OPERATIONS.		Case No. 338:	
Number of rodents trapped	10,355	Found at No. 548 Tonti Street.	
Number of premises inspected	7,265	Captured Sept. 15, 1916.	
Notices served	767	Diagnosis confirmed Oct. 1, 1916.	
Number of garbage cans installed	18	Case No. 339:	
		Found at No. 764 South Liberty Street.	
BUILDINGS RAT PROOFED.		Captured Sept. 11, 1916.	
By elevation	119	Diagnosis confirmed Oct. 2, 1916.	
By marginal concrete wall	115	21.000 22.000 22.000 2 1010	
By concrete floor and wall	150	PLAGUE STATUS TO OCT. 7, 1916.	
By minor repairs	320	Last case of human plague Sept. 8, 1915.	
Total buildings rat proofed	704	Last case of rodent plague Sept. 15, 1916.	
Square yards of concrete laid	4,220	Total number of rodents captured to Oct. 7.	873, 273
Number of premises, planking, and shed flooring removed		Total number of rodents examined to Oct. 7	387, 152
Number of buildings demolished	81 124	Total cases of rodent plague to Oct. 7 by	
Total buildings rat proofed to date (abated)		species:	
rotat bundings rat prosted to date (abated)	125, 302	Mus musculus	6
LABORATORY OPERATIONS.		Mus rattus	21
Rodents received by species:		Mus alexandrinus	17
Mus rattus	178	Mus norvegicus	295
Mus norvegicus.	768	Total rodent cases to Oct. 7, 1916	339
auto noi regiona	108	Total roubit cases to Oct. 1, 1910	999

WASHINGTON-SEATTLE-PLAGUE ERADICATION.

The following report of plague-eradication work at Seattle for the week ended September 30, 1916, was received from Surgeon Lloyd of the United States Public Health Service, in charge of the work:

BAT PROOFING.		RAT PROOFING—continued.	
New buildings inspected	15	Total concrete laid, new structures (square feet)	44,740 4 27 2 2
Yards, etc., concreted, new structures (square feet, 1,750)	6	Wooden floors removed, old buildings Buildings razed	2 2 3

¹ Indicates the number of rodents, the tissues of which were inoculated into guinea pigs. Most of them showed on necropsy only evidence of recent inflammatory process, practically none presented gross bestons characteristic of plague infection.

	29	79 October 27,	1916
LABORATORY AND RODENT OPERATIONS	8.	MISCELLANEOUS WORK—continued.	
Dead rodents received	11 330 7	Letters sent in re rat complaints	4
Total	348	Restaurant permits viséed	7
Rodents examined for plague infection Rodents proved plague infected Poison distributed, pounds Bodies examined for plague infection Bodies found plague infected	13	BODENTS EXAMINED IN EVERETT. Mus norvegicus trapped	59 14 73
	None.		64
CLASSIFICATION OF RODENTS. Mus rattus	15	Rodents examined for plague infection Rodents proved plague infected	0
Mus alexandrinus	93 170	BAT-PROOFING OPERATIONS IN EVERETT	
Mus musculus.	70	New buildings inspected	4
WATER FRONT.		New buildings reinspected	4 2
		New buildings, concrete foundations New buildings elevated	2
Vessels inspected and histories recorded Vessels fumigated	16	New buildings, basements concreted (square	-
Sulphur used, pounds	1,500	feet, 1,500)	1
New rat guards installed	11	Total concrete laid, new buildings (square	1 500
Defective rat guards repaired	22	feet)	1,500
Fumigation certificates issued Port sanitary statements issued	15	RODENTS EXAMINED IN TACOMA.	
The usual day and night patrol was mainit to enforce rat guarding and fending.	!	Mus norvegicus trapped	490 5
MISCELLANEOUS WORK.		Total	495
Rat-proofing notices sent contractors, new buildings.	20	Rodents examined for plague infection Rodents proved plague infected	308
HAWAII—P	LAGUI	E PREVENTION.	
The following reports of pl	lamia	-prevention work in Hawaii w	toro
_	or t	he United States Public Hea	utn
Service:			
	Honol	ulu.	

WEEK ENDED SEPT. 30, 1916.

Total rats and mongoose taken	356	Average number of traps set daily 984
Rats trapped	355	Cost per rat destroyed 21\$ cents.
Mongoose trapped	1	Last case rat plague Ajea, 9 miles from Honolulu
Examined microscopically	284	Apr. 12, 1910.
Examined macroscopically	72	Last case human plague, Honolulu, July 12, 1910.
Showing pest infection Not	ne.	Last case rat plague Paauhau, Hawaii, Jan. 18,
Classification of rats trapped:		1916,
Mus alexandrinus	130	Last case human plague Paauhau Plantation
Mus musculus	151	Hawaii, Dec. 16, 1915.
Mus norvegicus	50	
Mus rattus	24	

Hilo.

WEEK ENDED SEPT. 16, 1916.

77 22 22 2			
Number of rats and mongoose received at laboratory	2,415	Classification of rats trapped and found dead: Mus norvegicus	482
Number of rats trapped		Mus alexandrinus	301
Number of mongoose taken		Mus rattus	489
Number of rats and mongoose examined macroscopically	2,415	Mus museulus	1,073

WEEK ENDED SEPT. 23, 1916.

Number of rats and mongoose received at laboratory	2,237 48	Mus alexandrinus Mus rattus Mus museulus	
feeted	None.		

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

RECIPROCAL NOTIFICATION.

Minnesota.

Cases of communicable diseases referred during September, 1916, to other State or provincial health departments by department of health of the State of Minnesota.

Disease and locality of notification.	Referred to-health authority of-	Why referred.
Anterior poliomyelitis: St. Paul Health Department, Ramsey County.	Stockholm, Pepin County, Wis	Patient removed without per- mission from Wisconsin to Minnesota.
Tuberculosis: Mayo clinic, Rochester, Olmsted County.	Kansas City, Wyandotte County, Kans. Calumet, Houchton County, Mich. Maryville, Nodaway County, Mo Miles City, Custer County, Mont. Forsythe, Rosebud County, Mont. Lawton, Ramsey County, N. Dak. Gary Lake County, Ind. Muncie, Delaware County, Ind. St. Ansgar, Mitchell County, Iowa. New Hampton, Chickasaw County, Iowa. Hawarden, Sioux County, Iowa. Woden, Hancock County, Iowa.	11 moderately advanced, 4 a d v a n c e d, I apparently cured and 1 incipient case lett Mayo clinic for homes.
Thomas Hospital, Minneapolis, Hennepin County.	Grecory, Grecory County, S. Dak. Huron, Beadle County, S. Dak. Spokane, Spokane County, Wash. Relmont, Lafayette County, Wis. Renfrew, Ontario, Canada. Hamar, Eddy County, N. Dak. Eppinz, Williams County, N. Dak. Gruver, Emmet County, Iowa. Bryant, Hamiin County, S. Dak. (2 casses). Volga, Brookings County, S. Dak.	2 deceased cases, 3 advanced, and 1 apparently arrested, trans.erred from Thomas Hospital to homes.
Duluth, St. Louis County	U. S. Public Health Service	3 cases infected on Great Lakes.
City Hospital, Minneapolis, Hennepin County.	Cekalb, Cekalb County, Ill	Patient worked 3 weeks be- for first symptoms for C.
Duluth, St. Louis County	Detroit, Wayne County, Mich	N. W. Ry. at ekaib, Ill. Employed on Malland car ferry 3 weeks previous to first symptoms.
Wells, Faribault County	Dundee, Kane County, Ill	Lived at undee 3 weeks previous to first symptoms.
Duluth, St. Louis County	Ann Arbor, Washtenaw County, Mich. Pelkie, Baraga County, Mich. (2 cases). Negaunee, Marquette County, Mich.	Resided at Ann Arbor 3 weeks previous to first symptoms. 3 cases infected in Michigan, but sick in Minnesota.

Cases of communicable diseases referred during September, 1916, to other State or provincial health departments by department of health of the State of Minnesota—Con.

Disease and locality of notification.	Referred to health authority of-	Why refetred.
Typhoid fever—Continued. Frohn Township, Beltrami County.	Stanley, Mountrail County, N. Dak	Working in North Dakota 3 weeks , previous to first symptoms.
Dunbar Township, Faribault County.	Jamestown, Stutsman County, N. Dak.	Do.
Warren, Marshall County	Gilby, Grand Forks County, N. Dak.	Do.
City Hospital, Minneapolis, Hennepin County.	Andover, Day County, S. Dak	Worked in South Dakata 3 weeks previous to first, symptoms,
Mayo Clinic, Rochester, Olm- sted County.	Sioux Falls, Minnehaha County, S. Dak.	South Dakota typhoid case, consulted Mayo clinic, and returned home.
St. Cloud, Stearns County	Milbank, Grant County, S. Dak	Patient infected while visit- ing relatives in South Da- kota.
Abbott Hospital, Minneapolis, Hennepin County.	Milbank, Grant County, S. Dak	A second case infected while visiting the same household mentioned above.
Medical Corps, U. S. A., Fort Snelling.	Winnipeg, Manitoba, Canada	Patient had been in engineer- ing camp near Winnipeg 3 weeks previous to earliest symptoms.

ANTHRAX.

State Reports for September, 1916.

During the month of September, 1916, one case of anthrax was reported in Louisiana, and one case was reported in New York.

New York Report for August, 1916.

During the month of August, 1916, two cases of anthrax were reported in New York.

CEREBROSPINAL MENINGITIS.

State Reports for September, 1916.

Place.	New cases reported.	Place.	New cases reported.
Minnesota: Cariton County— Eagle Township. Redwood County— Willow Lake Township. St. Louis County— Duluth Total New Yörk:	1 1 1 3	Ohio: Cuyahoga County— Cleveland Jefferson County Summit County Total West Virginia: Calhoun County.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Delaware County Orange County St. Lawrence County Westchester County New York City Total	2 1 1 3 8	And	

CEREBROSPINAL MENINGITIS—Continued.

State Reports for August, 1916.

Place.	New cases re- ported.	Place.	New cases re- ported.
Montana: Park County— Livingston Silverbow County— Butte Yellowstone County— Billings	1 1 2	New York: Delaware County Erie County. Greene County. Or.eans County Suilivan County. New York City	1
Total	4	Total	2

New York Report for July, 1916.

790	Place.	New cases re- ported.	Place.	New cases re- ported.
Erie C Herki Schen	r: ne County	1 2 1 2 1	New York—Continued. Westchester County New York City Total	30

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass. Chicago, Ill. Cricopee, Mass. Detroit, Mich. Dubuque, Iowa. El Paso, Tex.	3 1 1 1	1 5 1	Los Angeles, Cal Lowell, Mass Yew Orleans, I a Yew York, Y Philadelphia, Pa	1 1 7 1	

DENGUE.

Texas-Austin.

The city health officer of Austin, Tex., reported that dengue was epidemic in that city on October 14, 1916.

DIPHTHERIA.

Georgia-Rome-Cave Spring.

Asst. Surg. Slaughter reported October 20 that there were about 50 clinical cases of diphtheria and many carriers among school children in Rome, Ga. The schools of the city had been closed.

Asst. Surg. Slaughter reported October 20 that no more clinical cases of diphtheria had developed at the Georgia School for the Deaf, Cave Spring, Ga., since his report which was published in the Public Health Reports October 13, 1916, page 2872. No deaths had occurred. Eleven clinical cases of diphtheria developed in the village of Cave Spring during the two weeks preceding the report.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 3002.

ERYSIPELAS.

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md	6 1 1 2 3 1 1	1 1 1	Mobile, Ala Newark, N. J. New York, N. Y. Passaic, N. J. Philadelphia, Pa. Pittsburgh, Pa. Portland, Oreg. Racine, Wis St. Louis, Mo San Francisco, Cal. Williamsport, Pa.	1 5 7 1	

LEPROSY.

City Reports for Week Ended Oct. 7, 1916.

During the week ended October 7, 1916, one case of leprosy was reported at New Orleans, La., and one case at Seattle, Wash.

MALARIA.

State Reports for September, 1916.

Place.	New cases reported.	Place.	New case reported.
Louisiana: Acadia Parish. Allen Parish. Allen Parish Bessier Parish. Caddo Parish. De Soto Parish. East Feliciana Parish Iberia Parish Iberia Parish Iberia Parish Plaquemines Parish Richland Parish St. Helena Parish St. John Parish St. Landry Parish St. Tammany Parish St. Tammany Parish Vermilion Parish Vermilion Parish West Carroll Parish West Carroll Parish West Carroll Parish West Peliciana Parish	27 6 3 6 13 27 5 4 2 3 5 15 7 7 17 9 5	New Jersey: Bergen County. Camden County. Cape May County Essex County. Mercer County. Morris County. Passale County. Somerset County. Total. Ohio: Cuyahoga County. Cleveland. Portage County. Sandusky County.	28

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala Charleston, S. C Hartford, Conn Hoboken, N. J Los Angeles, Cal Mobile, Ala	1 2 2 1	1 1	New Orleans, La	8 1 2 5 2	1

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3002.

PELLAGRA.

Louisiana Report for September, 1916.

Place.	New cases reported.	Place.	New cases reported.
Louisiana: De Soto Parish. Jefferson Da is Parish. Lincoln Parish. Moreh use Parish. Rapides Parish.	2 1 1 1 1	Louisiana—Continued. St. Martin Parish. Union Parish. Total	9

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala. Charleston, S. C. Columbia, S. C. Concord, N. H. Fort Worth, Tex. Galveston, Tex.		1 4 2 1 1	Mobile, Ala Nash ille, Tenn New Orieans, I a New York, N. Y Richmond, Va Waltham, Mass	2 1	*****

PLAGUE.

Louisiana-New Orleans-Plague-Infected Rats Found.

Passed Asst. Surg. Simpson reported that plague-infected rats had been found in New Orleans, La., as follows: A rat found September 18, 1916, at 517 Jackson Avenue, New Orleans, La., was proved positive for plague infection October 10. A rat found September 17, 1916, at Robin Street Dock, New Orleans, La., was proved positive for plague infection October 19. A rat found September 22, 1916, on steamship Eggsford (British), Stuyvesant Docks No. 4, New Orleans, La., was proved positive for plague infection October 20.

PNEUMONIA.

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place,	Cases.	Deaths.
Alameda, Cal. Ber eley, Cal. Braddock, Pa Chicago, Ill. Cle eland, Ohio. Columbia, S. C. Columbia, S. C. Columbus, Ohio. Detroit, Mich. Erie, Pa. Jackson, Mich. Kalamazoo, Mich. Kansas City, Mo. Los Angeles, Cal.	1 1 3 106 13 1 4 3 1 1 1	2 53 10 1	Manchester, N. II Morristown, N. J. Newark, N. J. Noriolk, Va. Philadelphia, Pa. Pittsburgh, Fa. Leading, Fa. Rochester, N. Y. San Francisco, Cal. Schenectady, N. Y. Stockton, Cal. Topeka, Kans.	2 1 9 1 29 5 2 2 2 3 1 1 2	1

POLIOMYELITIS (INFANTILE PARALYSIS).

Cases Reported by States.

The following tabular statement shows the number of cases of poliomyelitis reported to the United States Public Health Service by State health authorities during the periods shown:

	Total cases reported.		Total cases reported.
Alabama:		Indiana:	
July 1 to 31		July 1 to 31	
		Aug. 1 to 31	1
Sept. 1 to 25 12	151	Sept. 1 to 30	
Arizona:		Iowa:	161
July 1 to 31		July 1 to 31 30	
Aug. 1 to 31		Aug. 1 to 31	
Sept. 1 to 25 2	6	Sept. 1 to 30	1
4-1		Oct. 1 to 21 36	
Arkansas: July 1 to 31 5			204
July 1 to 31		Kansas:	
Sept. 1 to 25 0		July 1 to 31	
	6	Aug. 1 to 31	
California:			
July 1 to 31 12		Oct. 1 to 21	60
Aug. 1 to 31		Kentucky:	80
Sept. 1 to 30 13		July 1 to 31	
Oct. 1 to 14 7		Aug. 1 to 31	
	50	Sept. 1 to 28 1	
Colorado:			35
July 1 to 31 1		Louisiana:	
Aug. 1 to 31		July 1 to 31 19	
Sept. 1 to 30		Aug. 1 to 31 6	
Oct. 1 to 21 3	10	Sept. 1 to 30	
	10	Oct. 1 to 21	32
Connecticut:		Maine:	02
		July 1 to 31 0	
Aug. 1 to 31		Aug. 1 to 31 26	
Oct. 1 to 21		Sept. 1 to 30	
000.10021	857	Oct. 1 to 21 37	
Delaware:			109
July 1 to 31 1		Maryland:	
A ug. 1 to 31 11		July 1 to 31	
Sept. 1 to 30 36		Aug. 1 to 31	
Oct. 1 to 21		Oct. I to 22 97	
	67		271
District of Columbia:		Massachusetts:	
July 1 to 31	1	July 1 to 31	
Aug. 1 to 31	1	Aug. 1 to 31	
Oct. 1 to 17 5		Sept. 1 to 30	
000.11011	37	Oct. 1 to 25 611	1,594
Florida:		Michigan:	1,001
July 1 to 31 4		July 1 to 31	
Aug. 1 to 31 3	1	Aug. 1 to 31 163	
Sept. 1 to 25 1		Sept. 1 to 30 166	
	8	Oct. 1 to 14 48	
Georgia	(2)	201 6	428
daho:	.,	Minnesota:	
Aug. 1 to 31 4		July 1 to 31	
Sept. 1 to 30 3		Sept. 1 to 30	
Oct. 1 to 7 2		Oct. 1 to 21	
	9		834
llinois:		Mississippi:	
July 1 to 31	1	July 1 to 31	
Aug. 1 to 31	1	Aug. 1 to 31	
Sept. 1 to 30		Sept. 1 to 30	
Oct. 1 to 21 97		Oct. 1 to 11	

Corrected figures. Later report than figures prevously published.
 Disease present, but the number of cases is not known.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Cases Reported by States-Continued.

	Total cases reported.		Total cases reported
Missouri:		Rhode Island:	
July 1 to 31 4		July 1 to 31 26	
Aug. 1 to 31		Aug. 1 to 31	1
Sept. 1 to 25 4		Sept. 1 to 30 70	
Montana:	11	Oct. 1 to 21	
July 1 to 31		South Carolina:	18
Aug. 1 to 31		July 1 to 31	
Sept. 1 to 30		Aug. 1 to 31	
Oct. 1 to 21 8		Sept. 1 to 30	1
N. 1 1	1 80	Oct. 1 to 17 10	
Nebraska:			11
July 1 to 31		South Dakota:	
Aug. I to 31		July 1 to 31	
Dept. 1 to 20	14	Aug. 1 to 31	
Nevada:	-4		3
July 1 to Sept. 24	0	Tennessee:	
New Hampshire:		July 1 to 31	
July 1 to 31		Aug. 1 to 31	
Aug. 1 to 31		Sept. 1 to 25 0	
Oct. 1 to 19		Texas:	3
Oct. 1 to 15	57	July 1 to 31	
New Jersey:	0,	Aug. 1 to 31	
July 1 to 31		Sept. 1 to 30 16	
Aug. 1 to 31			6
Sept. 1 to 30		Utah:	
Oct. 1 to 25 247		Aug. 1 to 31	5
New Mexico:	3,958	Vermont:	
July 1 to Sant. 25	0	July 1 to 31	
July 1 to Sept. 25. New York (exclusive of New York		Aug. 1 to 31	
CILY):		Oct. 1 to 7	
July 1 to 31 2 517			3.
Aug. 1 to 31		Virginia:	
Oct. 3 to 16		July 1 to 31	
Oct. 5 to 10	3,316	Aug. 1 to 31	
North Carolina	(3)	Oct. 1 to 21	
North Carolina	(7)	000.100.1	135
July 1 to 31	1	Washington:	200
Aug. 1 to 31		July 1 to 31 5	
Sept. 1 to 30 16		Aug. 1 to 31	
Ohio:	18	Sept. 1 to 30	
July 1 to 31 94		Oct. 1 to 21 4	21
Aug. 1 to 31	-	West Virginia:	21
Sept. 1 to 30		July 1 to 31	
	400	Aug. 1 to 31 10	
Oklahoma:		Aug. 1 to 31	
July 1 to 31		Oct. 1 to 21	
Aug. 1 to 31		Wisconsin:	44
2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	24	July 1 to 31	
regon:		Aug. 1 to 31	
Sept. 1 to 30 3	I I	Sept. 1 to 30	
Oct. 1 to 14			351
annerhant.	14	Wyotang: July 1 to 310	
ennsylvania:	- 1	July 1 to 31 0	
July 1 to 31	1	Aug. 1 to 31 1	
Aug. 1 to 31	- 1	Sept. 1 to 30 3	
Oct. 8 to 21	1		•
100	1,727		
1	-1		

Not including cases on Crow Reservation.
 Corrected figures. Later report than figures previously published.
 Disease present, but the number of cases is not known.

POLIOMYELITIS (INFANTILE PARALYSIS)-Continued.

City Reports-July 23 to October 21, 1916.

The following table shows the number of cases of poliomyelitis reported to the United States Public Health Service by the health departments of cities which reported five or more cases in any one week:

					Cases	reporte	ed for	week e	nded-				
City.	July 29.	Aug.	Aug. 12.	Aug. 19.	Ang. 26.	Sept.	Sept.	Sept. 16.	Sept. 23.	Sept. 30.	Oct.	Oct. 14.	Oct. 21.
Akron, Ohio	1				1	3	5	5	1				
Atlantic City, N. J.			7	2	1 5	5		5 2	2			*****	
Baltimore, Md	1	1	5	1	9	16	12	13	10	29	20	23	· i
Bayonne, N. J	i	4	12	14	4	1	5	1	10		20	-	1 .
Birmingham, Ala	3	6	1		2				*****			*****	
	4	4	8	4	8	13	22	90	*****		*****	*****	
Boston, Mass	5	6	6		3		22	38	55	52	77	54	5
Bridgeport, Conn Brookline, Mass	D		0	*****	3	3		7	2	2	3		
Brookline, Mass				1 2			1	5	1		1	5	1
Cambridge, Mass Camden, N. J		1			8	1	5	0	4	5	11	6	1
Camden, N. J	2	5	11	13	6	9.	5	7	2	1	3		
Chicago, Ill	13	15	23	25	22	24	25	21	20	13	10	8	
Cincinnati, Ohio	- 1	2	2	4	5	5	3	6	3	4	5	1	
Cleveland, Ohio	1	1		1	2	5	2	3	1	1	2		
Detroit, Mich	3	4	1		6	1	4	3	3 1 3	11	3	1	
East Orange, N. J	3	7	2	8	10	6	10	3	2	2			
Flint, Mich	4	1	3	3	8		4		2	2 2		2	1
Grand Rapids, Mich.		1		3	1	1	2	1	6	ī		ī	
Harrison, N. J		-	10	10	6	•							-
Hartford Conn	3	3			4	6	7	5	5	4	4	*****	
Hartford, Conn Haverhill, Mass		9	*****	1	5		i		1	2	,	*****	
ndienopolis Ind		2			0	*****	5	4	2	1	*****		*****
Indianapolis, Ind		27		02	******		9	9			1		-
Jersey City, N. J Kearny, N. J	17		22	27	16	22	9	6	8	, 11	2	5	
Kearny, N. J		6	7	4	5	*****		3					
Long Branch, N. J.	1	1	1	1	2	8		4	1	1			
ynn, Mass					1	2	2	2 2	1	2	3	6	
Malden, Mass		*****		2					6	10	3	4	
Manchester, N. H		1				3	5	1	5				
dinneapolis, Minn		8	8	12	14	12	4	5		3		2	
dont lair, N. J	1		4	5	2	1	2	1		4	1	1	
Newark, N. J	137	247	260	230	150	89	45	38	30	12	17	9	
Newburyport, Mass					1	2	5	1	- 7	2	1	3	
New York, N. Y	912	1,117	1, 151	865	707	441	352	252	156	142	96	72	- 4
North Adams, Mass		1			5	2	2	1	4	. 1			
Northampton, Mass.		1		5	2	1	1	- 1	1		1	1	
range, N. J	10	15	9	8	10	15	4	1	2	1			
erth Amboy, N. J	4	5	4	2	3	1	3	2	-				****
l iladelphia, Pa	16	31	86	106	132	120	125	85	70	47	59	27	2
ittsburgh, Pa	3	i	5	1	3	5	5	2					
ittsfield, Mass		*	1	. 2	7	2	10		1	!	1	1	
lain eld, N. J	2		2	6	10	1		8	6	4	4	5	
	3	3	4				6	4	2	3	1	3 7	*****
roviden e, R. I	3	0		3	2	10	7	10	17	9	9	7	
uincy, Mass	*****	*****			*****			. 4	5	4			
t. I ouis, Mo t. Paul, Minn	5	*****			5	2							
t. Paul, Minn	5	13	6	9	6	8	7	7	3	2	4		1
omerville, Mass	1 .	*****		6	1	2	1		1		5	3	4
pring eld, Mass	2	2	2		5	5	9	12	8	9	5	3	4
vracuse, N. Y		9	3	23	34	33	49	29	20	12	11	5	
oledo, Ohio	11	11	16	10	10	7	11	1	2	3	i	2	
renton, N. J	1 .		4	7	11	7	11	14	23	34	20	8	1
altham, Mass								2		-	8	2	-
ashington, D. C	2	2	3	5	7	2	4	-	1	1	5	-	,
est Hohoken, N. J.	3	2 5	9	3	77	-					0	*****	
ilmington, Del		-		0	3	3	3	2	9	8			3
managerial builty ar Cleaners .		00000 1				0	0		3	0	7	6	

Maine-Rockland.

Surg. Robinson reported that from August 9 to October 13, 1916, 37 cases of poliomyelitis, with 9 deaths, were notified in Rockland, Me.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

Massachusetts-Holyoke.

Surg. Fricks reported that from August 16 to October 3, 1916, 73 cases of poliomyelitis were notified in Holyoke, Mass. The case reports by weeks were as follows: August 16 to 23, 5 cases; August 23 to 30, 3 cases; August 30 to September 5, 7 cases; September 5 to 12, 8 cases; September 12 to 19, 20 cases; September 19 to 26, 20 cases; September 26 to October 3, 10 cases.

New York City.

Surg. Lavinder reported that cases of poliomyelitis had been notified in New York City as follows: October 18, 7 cases; October 19, 6 cases; October 20, 8 cases; October 21, 6 cases; October 22, 8 cases; October 23, 1 case.

State Reports for September, 1916.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia	6	Michigan-Continued.	
		Gladwin County—	
Louisiana:		Bentley Township	1
Calcasieu Parish	1	Gladwin Township	1
Iberia Parish	1	Sherman Township	1
Rapides Parish	1	Gladwin	1
Richland Parish	1	Grand Traverse County—	
St. Mary Parish	1	Traverse City	1
		Gratiot County—	
Total	5	North Star Township	. 1
		Hillsdale County—	
Michigan:		Somerset Township	1
Alcone County—		Latchfield	1
Harrisville Township	1]	Houghton County—	
Allegan County—		Chassell Township	
Allegan Township	1	Franklin Township	1
Dorr Township	1	Ingham County—	
Douglas	1	Williamston	1
Arenac County-	4	Lansing	5
Standish Township	1	Ionia County—	
Barry County—		Lyons	1
Assyria Township	1	Tosco County—	
Bay County—		Burleigh Township	1
Gibson Township	1	East Tawas	1
Bay City	1	Isabella County—	
Branch County-	1	Isabella Township	1
Ovid Township	1	Jackson County-	
Calhoun County—		Leoni Township	1
Bedford Township	2	Blackman Township	1
Battle Creek	11	Kalamazoo County-	
Fredonia Township	1	Alamo Township	1
Penfield Township	1	Pavilion Township	1
Sheridan Township	1	Kalamazoo	2
Tekonsha	1	Kent County—	
Albion	3	Grand Rapids Township	1
Clinton County—		Grand Rapids	8
De Witt Township	1	Lapeer County—	
Du Plain Township	1	Deerfield Township	1
St. Johns	1	Rich Township	1
Eaton County-	- 1	Imlay City	1
Sunfield Township	1	Leelanau County—	
Genesee County—		Leland Township	1
Atlas Township	1	Lenawee County-	
Clayton Township	i	Adrain Township	1
Genesee Township	ī	Franklin Township	1
Mount Morris Township	î	Raisin Township	1
Mundy Township	i	Rollin Township	i
Mundy Township	· 1	Seneca Township	1
Flint	14	Adrain	2

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

State Reports for September, 1916-Continued.

Place.	New cases reported.	Place.	New case reported
Michigan—Continued		Minnesota—Continued.	
Michigan—Continued. Livingston County—		Cass County	
Howell	1	Pillager	
Macomb County-		Chippewa County— Montevideo	
Washington Township	1	Monte video	
Marquette County—	1	Clay County— Moorhead	1
Marquette		Georgetown Township	
Barryton	1	Goose Prairie Township	
Midland County-	-	Oakport Township	
Midland	1	Oakport Township Crow Wing County—	
Missaukee County-		St. Mathias Township Dakota County—	
West Branch Township	1	Dakota County-	
Monroe County-		Hastings	1
La Salle Township	1	Empire Township	
Monroe	3	Green vale Township Hampton Township Rosemquin Township Vermillion Township	1
Newaygo County— Denver Township	1	Posemount Township	
Oakland County-		Vermillion Township	
Waterford Township	2	Fillmore County—	,
West Bloomfield Township	l īl	Canton	١,
Clarkston	1	Canton	i
Rochester	1	Preston	- 1
Pontiae	4	Rushford	-
Otse to County-		Freeborn County—	
Gaylord	1	Freeman Township	1
Saginaw County— Chapin Township		Hayward Township	1
Frament Township	3	London Township	1
Fremont Township	1 1	Goodhue County—	
James Township Richland Township		Belvidere Township Burnside Township Central Point Township	
Swan Creek Township	1 7	Central Point Township	
Saginaw	7	Vasa Township	
St. Clair County-		Grant County-	
Emmett Township	1	Elbow Lave	1
Grant Township	2	Hannanin County-	
Wales Township	1	Edina	1
Sanilac County-		M Inneapolis	15
Sandusky	2	Richfield	1
Shiawassee County—		Tonka Bay	2
New Haven Township	1	Wayzata	1
Durand Tuscola County—	1	Minnetonka Township	1
Danmark Township	1	Medina Township. Minneton a Township. Minnetrista Township	1 2 1 1 2 2 2
Denmark Township Washtenaw County—	- 1	Orono Township	1
Sharon Township	1	Isanti County—	
Ann Arpor.	1	Cambridge	1
Wayne County-			
Highland Park	1	Oglivie	2
River Rouge	1	Oglivie	1
Northville	1	Kandiyoni County—	
St. Clair Heights	1	Raymond	1
Wexford County—	6		1
Clam Lake Township	4	Poppleton Township	
Cadillac	2	Poppleton Township Lac Qui Parle County— Camp Release Township	
Total	166	Camp Release Township	1
	106	Le Suent County—	•
dinnesota:		Elysian Lexington Township	1
Becker County-		Lexington Township	1
Ogema	1	McLeod County-	
Shell Lave Township	1	Hutchinson	1
White Forth Township	2	Winsted Hassan Valley Township Winsted Township. Mahnomen County—	1
Beltrami County-	1	Winsted Township	1
Northern Township	1	Mahnaman County-	1
Blue Earth County—	*	Mahnomen	4
Man vato	1 1	La Garde Township	2
Rapidan Township	ill	Navtahwaush	ĩ
Diown County-		Marshall County—	•
Sleepy Eve	1	Stephen	1
Linden Township	1	Meeter County—	
Carlton County—		Cedar Mills Township	2
Clonuet	1	Mower County-	
Blackhoof Township	1	Frant fort Township	1
Mahtowa Township Carver County—	1	lona	
Young America Township	1	Bondin Township	1

POLIOMYELITIS (INFANTILE PARALYSIS)-Continued.

State Reports for September, 1916-Continued.

Place.	New cases reported.		New cas reporte
innesota—Continued.		New Jersey—Continued.	
innesota—Continued. Nicollet County—		New Jersey—Continued. Camden County	
St. Peter	1	Cape May County	
Lake Prairie Township	1	(3)mherland County	
Norman County—	-	Essex County	2
Halstad	2	Glougester County	
Good Hone Township	ī	Hudeon County	
Good Hope Township	2	Hudson County	
Omisted County—	-	Hunterdon County	
Poshester	3	Mercer County	1
Rochester. Rock Dell Township.		Middlesex County	
Rock Dell Township	1	Monmouth County	
Otterian County-		Morris County	
Vergas	1	Ocean County	
Effington Township Pipestone County—	2	Passaic County	1
Pipestone County—		Salem County	1
Elmer Township	1	Somerset County	
Pope County-		Sussex County	
Glenwood	1	Union County	5
Lake Johanna Towhship	1	Warren County	
Lake Johanna Towhship	1		
Ramsey County-		Total	93
St Paul	17	A Olasia	94
White Pear		Vom Vorb	
Ramsey County— St. Paul. White Bear. Redwood County—	1	New York:	
Redwood County-		· Albany County	1
Revere.	1	Allegany County	
Delhi Township	1	Allegany County	
Sheridan Township	1	Cayuga County	1
Renville County— Beaver Falls Township		Chautauqua County	
Beaver Falls Township	1	Chemung County	
St. Louis County—	1	Chenango County	
Duluth	4	Chemung County Chenango County Columbia County	
Eveleth	1	Cortland County	
Township 50 R. 18 (Part)	î	Cortland County Delaware County	
Township 52, R. 21	i	Dutchess County	
Coatt County	- 1	Dutchess County	
Scott County—	. 1	Erie County	
Shakopee	1	Essex County	
Helena Township	2	Genesee County	
Sibley County—	. 1	Greene County	
Gibbon	1	Herkimer County	
Stearns County—		Herkimer County	2
Avon	2	Lewis County	
Holdingford	1	Madison County	1
Sauk Center	1	Montgomery County	i
Brockway Township	1	Nassan County	-
Sauk Center. Brockway Township. Millwood Township. St. Wendel Township. Steele County—	8 1	Nassau County	
St. Wendel Township.	1	Onondaga County	1.5
Steele County-	- 1	Orange County	1
Owatonna	1	Ocureno County	
Stevens County		Oswego County	1
Reserved County		Destroy County	
Stevens County— Everglade Township Frammas Township	1	Putnam County	
Coult County	1	Renselaer County	1
Swift County— Dublin Township. Westbank Township.		Rockland County	- 5
Dublin Township	1	St. Lawrence County	-
Westbank Township	1	Saratoga County	
Todd County	10	Saratoga County Schenectady County Schoharie County Schuyler County	
Grey Eagle	1	Schoharie County	
Eagle Valley Township	1	Schuyler County	
		Sellect County	
Monson Township	1	Steuben County	12
Wahasha County-		Suffolk County	19
Monson Township. Wabasha County— Lake City. Plainview Township. Was Albany Township. Wasoea County— Wasoea	1	Sullivan County	9
Plainview Township	3	Tioga County	2
West Albany Township	i	Tompking County	3
Wasana County		Tompkins County	3
Wassen	1	Woman County	3
Washington County	1	Warren County	
Washington County—	- 11	Washington County	
Waseca Washington County— Oakdale Township.	1	Wayne County	
Whichia County—	- 11	Westchester County	16
Winona	4	Wyoming County	
New Hartford Township	6	Wyoming County New York City	98
New Hartford Township Pleasant Hill Township	1		
Whitewater Township	1	Total	2,04
Total	186	Ohio:	
2		Allen County—	
w Jersey:	-	Lima	
Atlantic County	7	Butler County Champaign County Clarke County	
Bergen County	35	Champaign County	

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

State Reports for September, 1916-Continued.

Place.	New cases reported.	Place.	New cases reported.
Ohio—Continued. Columbiana County— East Liverpool. Cuyahoga County Darke County. Defiance County Fairfield County Franklin County— Columbus. Fulton County Gallia County Hamilton County Hamilton County Hardin County Henry County Huron County— Licking County Logan County Logan County Madison County Mandison County Manding County Mandison County Mandison County Mercer County Montgomery County Montgomery County Pulding County Piekaway County Piekaway County Portage County Putnam County Putnam County Putnam County Putnam County Putnam County Piekaway County Portage County Portage County Portage County Piekaway County Portage County Piekaway County Portage County Piekaway Riehland County Riehland County	1 1 3 3 3 1 1 19 3 2 4 4 1 1 2 2 20 1	Ohio—Continued. Seneca County. Summit County. Van Wert County. Wayne County. Wayne County. Williams County. Wood County. Wyandot County. Total. West Virginia: Greenbrier County. Hancock County. Harrison County. Marshall County. Marion County. Mercer County. Mercer County. Mineral County. Mineral County. Nineral County. Raleigh County. Raleigh County. Raleigh County. Randolph County. Tyler County. Tyler County. Wayne County. Wetzel County.	138 22 11 138 22 11 11 11 11 12 12 11 11
Sandusky County	4	Total	18

State Reports for August, 1916.

Place.	New cases reported.	Place.	New cases reported
Montana:		New York-Continued.	
Carbon County	3	Monroe County	
Meagher County	2	Montgomery County	2
S' erldan County	1	Nassau County	26
Stillwater County	1	Niagara County	
Sweet Grass County	1	Oneida County	2
Yellowstone County	2	Onondaga County	12
Billings	18	Orange County	6
		Oswego County	3.
Total	28	Otsego County	
		Putnam County	
New York:		Rensselaer County	
Albany County	4	Rockland County	
Allegany County	3	St. Lawrence County	
Broome County	3	Saratoga County	
Cayuga County	8	Schenectady County	
Chautauqua County	6	Schoharie County	
Chemung County	3	Steuben County	
Chenango County	1	Suffolk County	25
Columbia County	11	Sullivan County	6
Cortland County	6	Tioga County	
Delaware County	12	Tompkins County	1
Dutchess County	93	Ulster County	5
Erie County	5	Warren County	1
Tranklin County		Washington County	
Tulton County		Wayne County	27
Greene County	5	Wyoming County	21
Jefferson County	24	New York City	3.92
Lewis County	3	New Tork City	3.92
Madison County	25	Total	5, 45

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

New York Report for July, 1916.

Place.	New cases reported.	Place.	New eases reported.
New York: Albany County. Allegany County. Broome County. Chantanqua County. Chemung County Columbia County Cortland County Delaware County Doutchess County Erite County. Fulton County. Greene County. Hontsomery County Montgomery County Nassan County. Niagara County. Oneida County. Oneida County. Oneda County. Onenage County. Orange County.	1 32 1 8 69 2 1 6 1 1 128 2	New York—Continued. Otsego County Putnam County Rensselaer County Rockland County Saratoga County Schenectady County Steuben County Steuben County Sullivan County Toga County Tompkins County Ulster County. Warren County. Washington County. Washington County. Wastchester County. Westchester County. Westchester County. Westchester County. New York City	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mieh	1		Montelair, N. J.	1	1
Baltimore, Md	20	6	Morristown, N. J.	1	
Boston, Mass	77	19	Morristown, N. J. Newark, N. J.	17	
Bridgeport, Cong	3		New Britain, Conn	3	
Brookline, Mass	1		Newburyport, Mass	1	1
Cambridge, Mass	11		New London, Conn	2	1
Camden, N. J.	3		Newton, Mass	ī	1
Chicago, Ill.	10	2	New York, N. Y	96	46
Chicopee, Mass	2	-	Norristown, Pa.	1	
Cincinnati, Ohio.	5	1	Northampton, Mass	î	
Cleveland Ohio	9		Philadelphia, Pa	59	12
Cleveland, Ohio	- 1	*******	Pittsburgh, Pa	3	1.4
Detroit, Mich.	3	3	Pittsfield, Mass.	4	************
Duluth, Minn			Plainfield, N. J.	1	1 :
Evansville, Ind		*********	Postland Oses	2	1 '
		*******	Providence, R. I	9	
Everett, Mass	3		Providence, It. I	9	
Hagerstown, Md			Reading, Pa	1	*******
Hartford, Conn			Richmond, Va	1	*******
Indianapolis, Ind	1		Rochester, N. Y	1	********
ackson, Mich	3	*******	Saginaw, Mich	1	********
ersey City, N. J	2		St. Paul, Minn	4	*********
ohnstown, Pa	2	1	Salt Lake City, Utah	-1	
Kansas City, Mo	1		Somerville, Mass	9	
Lancaster, Pa	1		Springfield, Mass	5	
Los Angeles, Cal	1		Syracuse, N. Y	11	
owell, Mass	1		Toledo, Ohio	1	
ynchburg, Va	1		Trenton, N. J.	20	
ynn, Mass	3	2	Waltham, Mass	8.	
MadLion, Wis	1		Washington, D. C	5	2
Malden, Mass	3	1	Wilmington, Del	7	3
dilwaukee, Wis	1		1		

RABIES IN MAN.

City Report for Week Ended Oct. 7, 1916.

During the week ended October 7, 1916, a fatal case of rabies in man was reported at Kansas City, Mo.

RABIES IN ANIMALS.

City Reports for Week Ended Oct. 7, 1916.

During the week ended October 7, 1916, a case of rabies in animals was reported at Detroit, Mich., and one at Kansas City, Mo.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 3002.

SMALLPOX.

Massachusetts-Great Barrington-Lee.

Collaborating Epidemiologist Kelley reported October 18 that 4 cases of smallpox had been notified at Great Barrington, Mass., and 1 case at Lee, Mass.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended October 21, 1916, two new foci of smallpox infection were reported in Minnesota, one case having been notified in the village of Casson, Dodge County, and one in Albany village, Stearns County.

Ohio-Cleveland.

Surg. Holt reported October 23, 1916, that 58 cases of smallpox had been notified in Cleveland, Ohio, since October 1. All the patients attended one parochial school. No deaths have occurred.

State Reports for September, 1916.

			V _E	ecination hi	story of cases	
Place.	New cases reported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years pre- ceding attack.	Number never suc- cessfully vaccinated.	Vaccina- tion history not ob- tained or uncertain.
Maryland: Washington County— Hagerstown	1			.,	1	
Michigan:						
Genesee County— Hint Grand Traverse County—	1				1	
Ingham County—	. 7				7	
Lansing	2				2	
Isabella County— Sherman Township Kent County—	1					1
Grand Rapids	1				1	
Woodstock Township	1			1		
St. Clair County— Wales Township	1				1	
Wayne County— Detroit Wayne	2			1	2	
Total.	17			2.	14	1

SMALLPOX—Continued.

State Reports for September, 1916-Continued.

			V	accination h	istory of case	88.
Place.	New cases reported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years preceding attack.		Varcination history not o'tained or uncertain.
Minnesota:						
Clay County— Glyndon Morrison County—	1					. 1
Little Falls	1				1	*********
Ramsey County—	2				2	
St. Paul Mounds View Township	1 2			·····i	1	
Total	7			1	5	1
Ohio: Ashtabula County— Conneaut Athens County	12 2				3 2	9
Cuyahoga County— Cleveland	- 4					
Lucas County— Toledo Mahoning County—	4				1	3
Youngstown	3					- \$
Williams County Wood County	6				1	
Total	33				9	24

Miscellaneous State Reports.

Place.	Cases,	Deaths.	Place.	Cases.	Deaths.
District of Columbia (Sept. 1 to 30)	2		New York (July 1 to 31); Cortland County Niagara County	1	
Montana (Aug. 1 to 31); Chouteau County Deer Lodge County	1 1		Total	2	
Fergus County Hill County Prairie County	1 5 5		New York (Aug. 1 to 31); Erie County	1	
Silverbow County— Butte	2		Oregon (Aug. 1 to 31); 1 ake County Multnomah County—	1	******
Total	20		Portland	10	

City Reports for Week Ended Oct. 7, 1916.

Place	Cases.	Deaths.	Place.	Cases.	Deaths.
Butte, Mont Cleveland, Ohio Detroit, Mich Kansas City, Mo New Castle, Pa	2 6 6 1 1		New Orleans, La	2 2 3 1 1	

TETANUS.

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Erie, Pa	veland, Ohio	1 1 1 1 1	Lowell, Mass	·····i	

TUBERCULOSIS.

See diphtheria, measles, scarlet fever, and tuberculosis, page 3002.

TYPHOID FEVER.

State Reports for September, 1916.

Place.	New cases reported.	Place.	New case reported.
District of Columbia	56	Michigan—Continued. Berrien County—	
Louisiana:		Rainbridge Township	
Allen Parish	1	Buchanan Township	
Avoyelles Parish	1	Watervliet	
Beauregard Parish	4	Branch County—	
Bossier Parish	i	Coldwater	
Caddo Parish	6	Calhoun County-	,
Calcasieu Parish	8	Albion	
Concordia Parish	1	Battle Creek	
De Soto Parish	3	Burlington Township	
East Baton Rouge Parish	1	Washington Heights	
East Carroll Parish		Cass County-	
East Feliciana Parish	1	Dowagiac	
Iberia Parish.	î	Mason Township	
Jefferson Davis Parish	2	Charlevoix County—	,
La Salle Parish	1 1	Boyne City	1
Livingston Parish.	3 1	East Jordan	
Morehouse Parish	2 2 1	Chippewa County	
Natchitoches Parish	2	Dafter Township	
Plaquemines Parish	1	Rudyard Township	
Pointe Coupee Parish		Sault Ste. Marie	
Rapides Parish	17	Clare County—	,
Sabine Parish	2	Clare	1
St. Landry Parish	2 3	Hatton Township	1
St. Mary Parish	3	Clinton County	
Tangipahoa Parish	2	Olive Township	1
Union Parish	3	Eaton County-	
Vermilion Parish		Potterville	
Vernon Parish	3 E	Emmet County—	
Washington Parish	1 1	West Traverse Township	1
West Carroll Parish	1 1	Genesee County— Flint	,
Winn Parish	3	Flint	33
		Gladwin County-	
Total	86	Buckeye Township	1
1		Sherman Township	1
Michigan:	- 1	Grand Traverse County—	
Aflegan County—	- 1	Traverse City	2
Otsego	2	Gratiot County—	
Alpena County Alpena		Alma	5
Alpena	2	Newark Township	1
Arenac County-	- 1	Hillsdale County—	
Clayton Township	1	Pittsford Township	1
Barry County— Hastings	. 1	Houghton County— Calumet Township	
			1
Irving Township	1	Huron County Port Austin	1
Bay County	47	Ingham County—	
Bay City	47	Delhi Township	4
Merritt Township	1	East Lansing.	1
Portsmouth Township	2	Ingham Township	
Benzie County			32
Thompsonville	2	- Lansing	

TYPHOID FEVER-Continued.

State Reports for September, 1916-Continued.

Place.	New cases reported.	Place.	New cases reported.
Michigan—Continued,		Michigan—Continued.	
Michigan—Continued. Ionia County—		Van Buren County— Columbia Township	
Belding	2	Columbia Township	1
Berlin Township	1	Decatur	4
Ionia	1	Washtenaw County-	-
Lyons	1	Ann Arbor	30
Odessa Township	1	Warma County	
Iosco County—		Wayne County—	66
Baldwin Township Sherman Township		Detroit Hamtramick Township	00
les belle County	1	High land Park	1 5
Isabella County— Shepherd	. 1	High land Park	î
		Springwells Township	î
Jackson Liberty Township Kalamazoo County—	7	Wexford County-	
Liberty Township	i	Carillae	2
Kalamazoo County-	-	Harrietta	1
	4		200
Ross Township	1	Total	388
Kalkas'a County-		Minnesota:	7
Ross Township Kalkaska County— Oliver Township	1	Aitkin County—	
Kent County-		Aitkin	1
Grand Rapids Sparta Township	1	Beltrami County—	
Sparta Township	1	Baudette	1
Lapeer County—		Bemidji	1
Burnside Township Dryden Township	•2	Nymore	2
North Branch	2	Frohn Township Bigston County—	1
Lenawee County—	4	Ortonville	2
Hudson Township	1	Ortonville	
Hudson Township. Woodstock Township	i	Cloquet	7
Macomb County-	- 1	Cass County	
Erin Township	1	Backus	1
Frin Township	1	Backus	
Sterling Township	2	Brainerd	2
Manistee County—		Klondyke Township	1
Dickson Township	1	Douglas County-	
Manistee	7	OsakisFaribault County	1
Jahneming.	3	Wells	
Marquett	3	Dunbar Township	1
Negaunee	4	Henrepin County—	
Mason County-		Minneapolis	22
Mason County— Ludington	2	Osseo	1
Merosta County— Barryton		West Minneapolis	2
Barryton	1	Jackson County—	
		Heron Lake	1
Ingersoll Township	1 7	Kanabee County—	
Midland Monroe County—	2	Arthur Township Kandiyohi County—	1
Be for Township		Ranciyoni County—	
LaSalle Township	1	Pennock	
Monroe	il	Donaldson	1
Monroe	- 1	Koochiehing County-	
Greenville	2	Rapid River Township	1
Montmorency County-		Lake County-	
Briley Township Oakland County— Holly Township	4	Two harbors	2
Oakland County—		Lyon County—	
Holly Township	1	Lyon County— Marshall Marshall County—	1
Pontiae	1	ataisian County-	
Ogemaw County—	1	WarrenOlmsted County—	
Klacking Township. Presque Isle County— Allis Township.		Rochester	. 9
Allis Township	1	Pine County	
Raginaw County—	- 1	Rutledge	1
Frankenmuth Township	1	Sandstone	1
Sacinaw St. Clair County—	10	Polk County-	
St. Clair County—	1	Crookston	2
Ira Township	1	Fisher	1
Port Huron	5	Pope County—	-
Wales Township	1	Hoff Township	1
Sanilac County— Bridgehampton Township		Ramsey County— St. Paul	
Bridgehampton Township Shiawassee County—	1	White Bear Township	0
Perry	3	Rice County-	
Perry Tuscola County— Fairgrove Township.	- 1	Faribault	1
Fairgrove Township	2	Roseau County-	
Wisner Township	1	Warroad	1

TYPHOID FEVER-Continued.

State Reports for September, 1916-Continued.

Place.	New cases reported.	Place.	New cas reported
innesota—Continued.		New York—Continued.	
innesota—Continued. St. Louis County—		Oswego County	
Duluth	14	Otsego County	
Elv.	4	Rensselaer County	
Virginia	1	Rockland County	
Winton	3.	St. Lawrence County	
Carson Lake	2	Saratoga County	
Stuntz Township	. 2	Schenectady County	-
Sterns County— St. Cloud		Schoharie County	
St. Cloud	1	Seneca County	
Steele County—		Steuben County	
Owatonna	2	Suffolk County	
Wabasha County-		Sullivan County	
Lake City. Minneiska Township	1 2	Tompkins CountyUlster County	
Washington Country	-	Women County	
Washington County— Marine	1	Warren County	
Stillwater	i	Wayna County	
Yellow Medicine County—	•	Wayne County	
Echo Township	1	Wyoming County	
Echo rownship		Wyoming County New York City	1 2
Total	108		
		Total	
w Jersey: Atlantic County	26	Ohio:	
Bergen County	21	. Adams County	1
Burlington County	32	Allen County	
Camden County	32	Ashland County	
Cape May County	3	Athens County	
Camden County	15	Auglaize County	1
Essex County Gloucester County	38	Brown County	
Gloucester County	23	Butler County. Champaign County. Clarke County.	
Hudson County	34	Champaign County	
Hunterdon County	3	Clarke County-	
Morcer County	11	Springfield	
Morcer County Middlesex County Monmouth County Morris County	10	Clermont County	
Monmouth County	27	Clinton County	
Morris County	6	Coshoeton County	
Ocean County. Passaic County.	1 5	Crowford County	
Solam County	9	Curshoes County	
Salem County	3	Darke County	
Sussex County	2	Crawford County Cuyahoga County Durke County Defiance County	
Union County.	12	Delaware County-	
		Delaware	
Total	313	Erie County	
	=	Fairfield County	
w York:		Fayette County	
Albany County	15	Franklin County	
Albany County Allegany County Broome County	4	Gallia County.	
Cotto rougus County	3	Chernes County	
Cattaraugus County Cayuga County Chautauqua County	8 3	Guernsey County	
Chautanana County	19	Hancock County	
Chemune County	18	Hardin County	
Chenango County	2		
Chemung County Chenango County Clinton County Columbia County	14	Harrison County Henry County Highland County Hocking County Holmes County Huron County	
Columbia County.	7	Highland County	
Cortland County	10	Hocking County	
Delaware County	4	Holmes County	
Dutchess County	9	Huron County	
Erie County	75		
Franklin County	9	Jefferson County	
Fulton County.	2	Knox County—	
Genesee County	2	Mount Vernon	
Greene County.	2	Lake County	
Herkimer County	10	Liebing County	
Jefferson County Madison County	10	Licking CountyLogan County	
Monroe County	19	Lorain County	
Montgomery County	1	Lucas County	
Nassan County	2	Madison County	
Nigram County	21	Mahoning County	
	10	Marion County	
Onelda County			
Monroe County Monroe County Montgomery County Nassau County Niagara County Oneida County Oneida County	2	Medina County	
Oneida County Onondaga County Ontario County		Medina County Meigs County Mercer County Mianni County	

TYPHOID FEVER—Continued.

State Reports for September, 1916-Continued.

Place.	New cases reported.	Place.	New eases reported.
Ohlo—Continued.		West Virginia—Continued.	
Monroe County	3	Brooke County	1
Montgomery County	16	Calhoun County	11
Morgan County	2	Doddridge County	. 8
Morrow County	3	Fayette County	
Muskingum County	8	Gilmer County	
Noble County	i	Hampshire County	11
Paulding County	9	Hardy County	3
Perry County	20	Jackson County	
Pickaway County	2	Jefferson County	
Pickaway County		Kanawha County	
Pike County	7	Lawis County	18
Portage County		Lewis County	
Preble County		Logan County	4
Putnam County	2	McDowell County	6
Richland County	10	Marshall County	11
Ross County	12	Marion County	21
Sandusky County	14 #	Mineral County	4
Scioto County	15	Mingo County	
Seneca County	4	Monongalia County	
Shelby County	5	Monroe County	15
Stark County	44	Morgan County	11
Summit County	13	Nicholas County	2
Trumbull County	14	Ohio County-	-
Tuscarawas County	31	Wheeling	18
Union County	4	Pendleton County	12
Van Wert County	4 1	Pocahontas County	4
Vinton County.	2	Preston County	11
Warren County	î l	Putnam County	
Washington County	2	Raleich County	17
washington county	5	Ritchie County	10
Wayne County	44	Page County	7
Williams County	6	Roane County	2
Wood County		Tucker County	
Wyandot County	3 1	Upshur County	15
Belmont County	12	Wayne County	2
Total	1.002	Webster County	•
	2,002	Wood County	7
West Virginia:		Wyoming County	B
Berkeley County	19		
Braxton County	2	Total	308

State Reports for August, 1916.

Place.	New cases reported.	Place.	New cases reported.
Montana: Blaine County Big Horn County Carbon County Great Falls Chouteau County Custer County	2 1 1 5 2 8	New York: Albany County Allegany County Broome County Cattaraugus County Cayuga County Chautauqua County	24 5 3 6 6
Dawson County Deer Lodge County Anaeonda Flathead County Fergus County Bozeman Hill County Helena Lincoln County	1 1 1 1 7 8 2	Chemung County Chemango County Clinton County Columbia County Delaware County Erie County Erie County Erie County Erie County County Erie County Erie County	3 1 7 7 2 3 63 1
Madison County Missoula County Phillips County Rava'li County Rosebud County Silver Bow County Butte	1 1 2 1 1 1	Fulton County. Genesse County. Greene County. Herkimer County Jefferson County Lewis County Livineston County	1 4 4 8 16 3
Stillwater County Wibaux County Yellowstone County Billings	3 1 7 3	Madison County Mouroe County Montgomery County Nessu County Nissau County Niggra County	3 21 6 4
Total	68	Oneida County	5

TYPHOID FEVER-Continued.

State Reports for August, 1916-Continued.

Place.	New cases reported.	Place.	New cases reported.
New York—Continued. Orange County. Orleans County. Oswego County. Oswego County Rensselaer County Rockland County St. Lawrence County Saratoga County Schenectady County Schenectady County Seneca County Steuben County Steuben County	6 10 12 2 5 8 1 1 2 1	New York—Continued. Washington County Wayne County Westchester County. Wyoming County Yates County New York City Total. Oregon: Linn County Marion County Umartille County Umartille County	2 13 2 1 258 604
Sullivan County Tioga County. Tompkins County Ulster County. Warren County.	7 2 5 2	Wallowa County Multnomah County— Portland Total	

New York Report for July, 1916.

Place.	New cases reported.	Place.	reported.
New York: Albany County Broome County. Cattarangus County. Chemung County Chenango County Chenango County Clinton County Columbia County Delaware County Erie County. Essex County. Pranklin County Pranklin County Genesee County Greene County Hamilton County Jefferson County Lewis County Lewis County Lewis County	1 2 9	New York—Continued. Onondaga County. Orange County. Oswego County. Otsego County. Rensselaer County. Rockland County. St. Lawrence County. Schander County. Schander County. Schander County. Schaper County. Schaper County. Schaper County. Steuben County. Suffolk County. Sulfolk County. Sullivan County. Toga County. Toga County. Warren County. Warren County.	10
Livingston County Madison County Monroe County Montgomery County Nassau County Niagara County	1 1 6 2 3	Wayne County Westche der County Wyoming County New York City Total	16 16 132

City Reports for Week Ended Oct. 7, 1916.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Harbor, Mich	6		Chelseo, Mass	2	
Atlantic City, N. J	2		Chicago, Ill	26	1
Baltimore, Md	27	- 1	Cincinnati, Ohio	15	
Berkeley, Cal	12		Cleveland, Ohio	8	
Boston, Mass	10	3	Coffeyville, Kans	9	- 1
Bridgeport, Conn	- 2		Columbus, Ohio	5	
Butte, Mont	2		Concord, N. H	1	
Cairo, Ill	1		Covington, Ky	3	
Camden, N. J	4		Denver, Colo	7	
Canton, Ohio	1		Detroit, Mich	15	
Charleston, S. C	1		Duluth, Minn	4	

TYPHOID FEVER-Continued.

City Reports for Week Ended Oct. 7, 1916-Continued.

Flgin, Ill El Paso, Tex Evans ille, Ind. Jall Ri er, Mass. Jint, Mich. Fort Worth, Tex Galesburg, Ill Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa Hartford, Conn. Ha erbill, Mass. Indianapolis, Ind. Jac son, Mich. Jersey (ity, N. J. Johnstown, Pa Kalamaroo, Mich. Kansas (ity, Mo. Kenos'a, Wis. Kokomo, Ind. Lawrence, Mass. Lexington, Ky. Little Rock, Ark. Lorain, Ohio. Los Angeles, Cal. Lowell, Mass. Lynn, Mass. Jaldien, Mass. Lynn, Mass. Jaldien, Mass. Jaldien, Mass. Janchester, N. H.	29 12 1 3 6 8 91 1 3 28 1 3 1 2 8 2 1 3 1 2	1	North Adams, Mass, Oklahoma, Okla, Omaha, Nebr. Pasadena, Cai. Pawtucket, R. I. Perth Amboy, N. J. Philadely hia, Pa Pittsburgh, Pa Portland, Me Portland, Me Portland, Oreg Provi lence, R. I. Racine, Wis. Rea ting, Pa Richmond, Va Roanoke, Va Roanoke, Va Roanoke, Va St, Iouis, Mo St, Paul, Minn Salt I ake City, Utah San Diego, Cai. San Francisco, Cal. Seattle, Wash	2 1 6 1 1 1 1 2 2 4 1 5 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
El Paso, Tex Evans ille, Ind. Jall Ri er, Mass. Jilnt, Mich. Fort Worth, Tex. Galesburg, Ill. Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa. Hartford, Conn. Ha erbill, Mass. Indianapolis, Ind. Jac son, Mich. Jac son, Jud. Jac son, Jud	29 12 1 3 6 8 91 1 3 28 1 3 1 2 8 2 1 3 1 2	1	Oklahoma, Okla. Omaha, Nebr. Pasadena, Cai. Pawtucket, R. I. Perth Amboy, N. J. Phillafelr hia, Pa Pittsburgh, Pa Portland, Me Portland, Oreg. Provi lence, R. I. Racine, Wis. Rea ling, Pa Richmond, Va Roanoke, Va Rochester, N. Y. Saginaw, Mich. St. I onis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Franeisco, Cal.	6 1 1 1 1 1 1 2 2 1 1 2 2 2 4 1 5 5 2 2 3 3 3 2 2 1	
Evans ille, Ind. Jall Ri er, Mass. Jilnt, Mich. Fort Worth, Tex. Galesburg, Ill. Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa. Hartford, Conn. Ha erhill, Mass. Indianapolis, Ind. Jac son, Mich. Jersev ity, N. J. Johnstown, Pa. Kalamazoo, Mich. Kansas City, Mo. Kenos' a, Wis. Kokomo, Ind. Lawrence, Mass. Levington, Ky. Little Roc's, Ark. Lorain, Ohio. Los Angeles, Cal. Lowell, Mass. Lyun, Mass. Jyun, Mass. Jacken, Mass. Jacken, Mass. Jyun, Mass. Jacken, Mass. Jyun, Mass. Jacken, Mass. Jyun, Mass. Jacken, Mass. Jacken, Mass. Jacken, Mass. Jyun, Mass. Jacken,	29 12 1 3 6 8 91 1 3 28 1 3 1 2 8 2 1 3 1 2	1 2	Omaha, Nebr. Pasadena, Cal. Pawtucket, R. I. Perth Amboy, N. J. Phillafelt hia, Pa. Pittsburgh, Pa. Portland, Me. Portland, Me. Portland, Me. Racine, Wis. Rea ting, Pa. Richmond, Va. Rochester, N. Y. Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Francisco, Cal.	6 1 1 1 1 1 1 2 2 1 1 2 2 2 4 1 5 5 2 2 3 3 3 2 2 1	
Tall Ri er, Mass. I lint, Mich. Fort Worth, Tex. Galesburg, III. Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa. Hartford, Conn. Ha erbill, Mass. Indianapolis, Ind. Jac son, Mich. Ja	912 1 3 6 8 91 1 3 1 2 8 2 1 3 1 2	2	Pasadena, Cai Pawtucket, R. I. Perth Amboy, N. J. Philiafelf hia, Pa Pittsburgh, Pa Portland, Me Portland, Oreg. Provi lence, R. I. Racine, Wis Rea ing, Pa Richmond, Va Roanoke, Va Rochester, N. Y Saginaw, Mich St. I onis, Mo St. Paul, Minn Salt I ake City, Utah San Franeisco, Cal	1 31 1 2 1 2 2 41 5 5 2 5 2 3 3 3 3 2 1	
I lint, Mich. Fort Worth, Tex. Galesburg, Ill. Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa. Hartford, Conn. Ha erbill, Mass. Indianapolis, Ind. Jac son, Mich. Jac son,	12 1 3 6 8 9 1 3 28 1 3 1 2 8 2 1 3 1 2	2	Pawtneket, R. I. Perth Amboy, N. J. Philadelphia, Pa Pittsburgh, Pa Portland, Me Portland, Oreg. Provilence, R. I. Racine, Wis. Rea ling, Pa. Richmond, Va. Roanoke, Va. Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Francisco, Cal.	1 31 1 2 1 2 2 41 5 5 2 5 2 3 3 3 3 2 1	
Fort Worth, Tex Galesburg, Ill. Grand Rapids, Mich. Hagerstown, Md. Hagerstown, Md. Harrisburg, Pa Hartford, Conn. Ha erhill, Mass. Indianapolis, Ind. Iac son, Mich. Iac son, Ind. Iac	1 3 6 8 9 1 1 3 2 8 2 1 3 1 2 8 2 1 3 1 2	2	Perth Amboy, N. J. Philia-felt his, Pa. Pittsburgh, Pa. Portland, Me. Portland, Oreg. Provi lence, R. I. Racine, Wis. Rea ting, Pa. Richmond, Va. Rochester, N. Y. Saginsw, Mich. St. I ouls, Mo. St. Paul, Minn. Salt I ake City, Utah. San Francisco, Cal.	31 1 2 1 2 2 41 5 2 2 33 -3 2	
Galesburg, Ill. Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa Hartford, Conn Ha erhill, Mass. Indianapolis, Ind. Iac son, Mich. Iac son, Ind.	3 6 8 9 1 1 3 2 3 2 1 3 1 2 3 2 1 3 1 2	2	Phila-felf his. Pa Pittsburgh, Pa Portland, Me Portland, Oreg. Provi lenee, R. I. Racine, Wis. Rea ling, Pa Richmond, Va Roanoke, Va Roanoke, Va Roanoke, Va Saginaw, Mich St. I ouis, Mo St. Paul, Minn Salt I ake City, Utah San Francisco, Cal	31 1 2 1 2 2 41 5 2 33 3 2	
Grand Rapids, Mich. Hagerstown, Md. Harrisburg, Pa. Hartford, Conn. Ha crbill, Mass. Indianapolis, Ind. Jac son, Mich.	6 8 91 1 3 28 1 3 1 2 8 2 1 3 1 2	2	Pittsburgh, Pa Portland, Me Portland, Greg Provilence, R. I. Racine, Wis. Rea ting, Pa. Richmond, Va. Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. I ouls, Mo. St. Paul, Minn Salt I ake City, Utah San Francisco, Cal.	1 2 1 2 2 41 5 5 2 33 3 2	
Hagerstown, Md. Harrisburg, Pa Hartford, Conn. Ha erbill, Mass. Indianapolis, Ind. Jac son, Mich. Jac son, Jid. Jos Angeles, Cal. Jowell, Mass. Jynchburg, Va. Jynn, Mass. Jalden, Mass. Jalden, Mass. Jalden, Mass. Janchester, N. H.	8 91 1 3 28 1 3 1 2 8 2 1 3 1 2	2	Portland, Me Portland, Oreg Provi lence, R. I. Racine, Wis. Rea ing, Pa. Richmond, Va. Rochester, N. Y. Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Franeisco, Cal.	1 2 2 2 41 5 5 2 33 -3 2	
Hartisburg, Pa Hartford, Conn Ha erbill, Mass. Indianapolis, Ind. Iac son, Mich. Jersey tity, N. J. Johnstown, Pa Kalamazoo, Mich. Kansas City, Mo Kenos' a, Wis Kokomo, Ind. Lawrenee, Mass. Levington, Ky Little Rock, Ark Lorain, Ohio Los Angeles, Cal. Lowell, Mass. Lyun, Mass. Lyun, Mass. Junchburg, Va Lyun, Mass. Jaiden,	91 1 3 28 1 3 1 2 8 2 1 3 1 2 2 3 1 3 1 2	2	Portland, Oreg. Provi lence, R. I. Racine, Wis. Rea ling, Pa. Richmond, Va. Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. Louis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Francisco, Cal.	1 2 2 41 5 2 5 2 33 -3 2	
Hartford, Conn Ha erhill, Mass. Indianapolis, Ind. Iac son, Mich. Iac son, Ind. Iawrence, Mass. Iawrenc	1 · 3 · 28 · 1 · 3 · 1 · 2 · 3 · 2 · 1 · 3 · 1 · 2 · 3 · 1 · 2 · 1 · 3 · 1 · 2	2	Provilence, R. I. Racine, Wis. Rea ting, Pa. Richmond, Va. Rochester, N. Y. Saginsw, Mich. St. Louis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Francisco, Cal.	2 2 41 5 2 5 2 33 33 2	
Ha erbill, Mass. Indianapolis, Ind. Jac son, Mich. Jac son, Mis.	3 28 1 3 1 2 8 2 1 3 1 2 8 2 1	2	Racine, Wis. Rea ling, Pa. Rea ling, Pa. Richmond, Va. Roanoke, Va. Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Diego, Cal. San Francisco, Cal.	41 5 2 5 2 33 -3 2	
Indianapolis, Ind. Jac son, Mich. Jersev tity, N. J. Johnstown, Pa. Kalamazoo, Mich. Kansas Citv. Mo. Kenos' a, Wis. Kokomo, Ind. Lawrence, Mass. Levington, Ky. Little Rock, Ark. Lorain, Ohio. Los Angeles, Cal. Lowell, Mass. Lyun, Mass. Lyun, Mass. June, Mas	28 1 3 1 2 8 2 1 3 1 2 2 1 3	2	Rea (ing, Pa. Richmond, Va. Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. I ouls, Mo. St. Paul, Minn Salt I ake City, Utah. San Diego, Cal. San Francisco, Cal.	5 2 5 2 33 -3 2 1	
lac son, Mich. lersev itv, N. J. lohnstown, Pa. Kalamaroo, Mich. Kanasa (itv, Mo. Kenos' a, Wis Kołomo, Ind. Lawrence, Mass Lexington, Kv. Little Roc's, Ark Lorain, Ohio. Los Angeles, Cal. Lowell, Mass Lynchburg, Va. Lynch Mass Malden, Mass Manchester, N. H.	1 3 1 2 3 2 1 3 1 2	1	Richmond, Va. Roanoke, Va. Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Diego, Cal. San Francisco, Cal.	5 2 5 2 33 -3 2 1	
lersev (ity, N. J. Johnstown, Pa. Kalamazoo, Mich. Kansas (ity, Mo. Kenos'a, Wis. Kokomo, Ind. Lawrence, Mass. Lexington, Ky. Little Rock, Ark. Lorain, Ohio Los Angeles, Cal. Lowell, Mass. Lyun, Mass. Lyun, Mass. Junchburg, Va. Lyun, Mass. Jaiden, Mass. Jaiden, Mass. Janchester, N. H.	3 1 2 8 2 1 3 1 2	1	Roanoke, Va. Rochester, N. Y. Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Diego, Cal. San Francisco, Cal.	5 2 33 -3 2 1	
Johnstown, Pa Kalamazoo, Mich Kansas City, Mo Kenos' a, Wis Kolomo, Ind .awrenee, Mass Levington, Ky .ittle Roc*, Ark .orain, Ohio .os Angeles, Cal .owell, Mass .yunh Mass .yun, Mass Malden, Mass Manchester, N	1 2 3 2 1 3 1 2	1	Rochester, N. Y. Saginaw, Mich. St. I onis, Mo St. Paul, Minn. Salt I ake City, Utah. San Diego, Cal. San Francisco, Cal.	5 2 33 -3 2 1	
Kalama coo, Mich. Kansas Citv, Mo. Kenos' a, Wis. Kokomo, Ind. Lawrence, Mass Lexington, Ky Little Rock, Ark Lorain, Ohio Los Angeles, Cal Lowell, Mass Lynchburg, Va Lynn, Mass Malden, Mass Manchester, N. H.	2 3 2 1 3 1 2	i	Saginaw, Mich. St. I ouis, Mo. St. Paul, Minn. Salt I ake City, Utah. San Diego, Cal. San Francisco. Cal.	33 -3 -2 1	*******
Kansas Citv. Mo. Kenos' a, Wis Kokomo, Ind	3 1 2		St. I ouis, Mo St. Paul, Minn. Salt I ake City, Utah. San Diego, Cal.	33 -3 2 1	*******
Kenos' a, Wis. Kokomo, Ind. Lawrence, Mass. Lexington, Kv. Little Rock, Ark Lorain, Ohio. Los Angeles, Cal Lowell, Mass. Lynchburg, Va. Lynn, Mass. Malden, Mass. Manchester, N. H.	3 1 2		St. Paul, Minn Salt I ake City, Utah San Diego, Cal San Francisco, Cal	-3 2 1	
Kokomo, Ind. Lawrence, Mass Lexington, Ky Little Rock Ark Lorain, Ohio Los Angeles, Cal Lowell, Mass Lynchburg, Va Lynn, Mass Malden, Mass Manchester, N. H.	3 1 2		Salt I ake City, Utah San Diego, Cal San Francisco, Cal	-3 2 1	
Kokomo, Ind. Lawrence, Mass Lexington, Ky Little Rock Ark Lorain, Ohio Los Angeles, Cal Lowell, Mass Lynchburg, Va Lynn, Mass Malden, Mass Manchester, N. H.	3 1 2		Salt I ake City, Utah San Diego, Cal San Francisco, Cal	2	*******
.awrence, Massevington, Ky _crain, Ohio _orain, Ohio _os Angeles, Cal _owell, Massyuchburg, Va _yun, Mass. Maiden, Massdanchester, N. H.	3 1 2		San Diego, Cal	ī	
Lexington, Kv. Little Roc's, Ark Lorain, Ohio Los Angeles, Cal Lowell, Mass Lynchburg, Va Lynn, Mass Malden, Mass Manchester, N. H.	1 2		San Francisco, Cal		********
Little Rock Ark Lorain, Ohio Los Angeles, Cal. Lowell, Mass Lynchburg, Va. Lynn, Mass Malden, Mass Manchester, N. H.	2		Contilla Wash		
.orain, Ohioos Angeles, Calowell, Massynchburg, Vaynchburg, Vaynn, Mass. falden, Mass. falden, Mass.				2	
.os Angeles, Cal	2		Schenectady, N. Y	2	
owell, Mass	2	*******	Springfield, Ill		
Lynchburg. Vayun, Mass	2		Springfield, Ohio	9	*******
yun, Mass		1	Steelton, Pa	2	
falden, Mass	5	2	Steubenville, Ohio		
fanchester, N. H		1			*******
danchester, N. H	3	1	Superior, Wis	1	********
	1	*******	Syracuse, N. Y	3	
de ford, Mass	3	********	Tacoma, Wa h	1	*******
dilwaukee, Wis	3		Taunton, Mass	1	*******
dinneapolis, Minn	5	********	Toledo, Ohio		*******
dobile, Ala	2	1	Topeka, Kans	4	*******
a hville, Tenn	4		Trenton, N. J	3	*******
Newark, N. J	5		Washington, D. C	12	
New Be ford, Mass	2		Wheeling, W. Va	3	
New Castle, Pa	2		Wichfta, Kans	4	
New Haven, Conn	2		Wilkes-Barre, Pa	9	
New I on don, Conn	ī		Wilkinsburg, Pa	2	
New Orleans, La	17	1	Williams; ort, Pa	1	
	93	11	Wilmington, Del	4	
liagara Falls, N. Y	1	ï	Worcester, Mass	i	
Vorfolk, Va	4		York, Pa.	3	*********
Vorristown, Pa.	3		Zanesville, Ohio	-	

TYPHUS FEVER.

Texas-El Paso-Laredo.

Acting Asst. Surg. Tappan reported that during the two weeks ended October 16, 1916, 6 cases of typhus fever were notified at El Paso, Tex., making a total of 17 cases since July 1.

Acting Asst. Surg. Hamilton reported a case of typhus fever at Laredo, Tex., October 21, 1916, and another case October 23, making three cases since October 16.

City Reports for Week Ended Oct. 7, 1916.

During the week ended October 7, 1916, a case of typhus fever was reported at Austin, Tex.; three cases were reported at El Paso, Tex.; and three cases at New York City, N. Y.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS. State Reports for September, 1916.

	C	Cases reported.						
Place.	Diphtheria.	Measles.	Scarlet fever.					
istrict of Columbia. ouisiana. ichiran	40 28 394	14 15 • 114	3 2 22					
innesota ew Jersey.	178 235 789	31	8 5					
hio.	665	158	4					

State Reports for August, 1916.

During the month of August, 1916, 8 cases of diphtheria, 40 cases of measles, and 11 cases of scarlet fever were reported in Montana; 816 cases of diphtheria, 1,063 cases of measles, and 181 cases of scarlet fever were reported in New York; and 6 cases of diphtheria, 45 cases of measles, and 10 cases of scarlet fever were reported in Oregon.

New York Report for July, 1916.

During the month of July, 1916, 1,405 cases of diphtheria, 5,194 cases of measles, and 523 cases of scarlet fever were reported in the State of New York.

City Reports for Week Ended Oct. 7, 1916.

	Popula- tion as of July 1, 1915	Total deaths						rlet er.	Tube	ercu-
City.	(estimated by U.S. Census Bureau).		Cases.	Deaths.	Сазев.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	584, 605		16	1	1		4		33	15
Boston, Mass	745, 139	209	33	1 2 15	3		9		58	1
Chicago, Ill	2.447.045	633	197	15	15		67	2	210	62
Cleveland, Ohio	656, 975	178	50	4	3		8		32	10
Detroit, Mich	554,717	167	97	6	1	1	19	1	24	11
New York, N. Y	5, 468, 190	1,215	121	6 2 3	11	2	26	1	318	148
Philadelphia, Pa	1,683,664	448	47	2	2		11		80	54
Pittsburgh, Pa	571,984	168	28	3	4	1	14		14	17
St. Louis, Mo	745, 988	206	65	2	5		16	1	44	26
From 300,000 to 500,000 inhabit-										
ants:		1		1						
Buffalo, N. Y	461,335	136	21	1	1 3		8		23 23 17	14
Cincinnati, Ohie	406, 706	118	41	1	3		6		23	1
Jersey City, N. J	300, 133	72.	7				2		17	1
Los Angeles, Cal		94	5	1 2	1		- 5		50	10
Milwaukee, Wis	428,062	90	16	2	1		19	1	24	4
Minneapolis, Minn	353, 460		28				10			
Newark, N. J.	399,000		9		1		1		19	14
New Orleans, La	366, 484,		22		14		1		39	24
San Francisco, Cal	1 416, 912	117	10	1	7		9		21	13
Seattle, Wash	330, 834	46	. 3	1	5		1		17	
Washington, D. C	358, 679	106	11		6		6		14	1

¹ Population Apr. 15, 1910; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con. City Reports for Week Ended Oct. 7, 1916—Continued.

	Popula- tion as of July 1, 1915	Total deaths	Diph	theria.	Mea	sles.		arlet ver.		ber- osis.
City.	(estimated by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 200,000 to 300,000 inhabit-										
ants:	200 700	68	100							1
Columbus, Ohio	209,722 253,161	46	10	*****	1		2		7	
Columbus, Ohio Denver, Colo. Indianapolis, Ind. Kansas City, Mo Portland, Oreg. Providence, R. 1 Rochester, N. Y St. Paul, Minn	253, 161 265, 578		36				11	*****	3	1
Kansas City, Mo	289,879	59	11	2			2		6	-
Providence P I	272, 833	57 44	9	2	22	*****	5 5	1	*****	
Rochester, N. Y.	250,747		3				1	*****	6	Ī
St. Paul, Minn	250, 025 250, 747 241, 999	44	8			*****	1		20	
ants: Birmingham Ala	174, 108	41	4				6		5	
Birmingham, Ala Bridgeport, Comm. Cambridge, Mass. Camden, N. J. Fall River, Mass.	118, 434	31	4						2	
Cambridge, Mass	111,669 104,349	30	5		9		2		9	
Camden, N. J.	104,349		1							
Grand Rapids, Mich	126, 904	39 37	3			1	2		11	
Hartford, Conn	125,759 108,969 112,124	40	3				-		1	
Lowell, Mass	112, 124	32	9	3	5		1		8	
Lynn, Mass	100,316	20	2	1			2		3	
Hartford, Conn Lowell, Mass Lynn, Mass Lynn, Mass Nashville, Tenn New Bedford, Mass New Haven, Conn Omaha, Nahr	115,978	31	5	1	6		5		4	
New Haven Conn	114,694 147,095	35	4		3		1		4	
	135, 435	45	13	2			2.		4	
Reading, Pa. Richmond, Va. Salt Lake City, Utah	105, 094	37	1	ī			-			
Richmond, Va	154, 674 113, 567	00	17		1		4	1	7	
Salt Lake City, Utah	113, 567	34	3	1	32		13			
Springfield, Mass. Syracuse, N. Y. Tacoma, Wash. Toledo, Ohio.	103, 216	32	5		2		1		5	
Tacoma Wash	108 004	12	9		44		2		5	
Toledo, Ohio.	152, 534 108, 094 187, 840	70	9				8	*****	3	****
Trenton, N. J.	109, 212	42	4				. 1		6	
Worcester, Mass	160, 523	43		1	1				9	
rom 50,000 to 100,000 inhabit-						1				
Atlantic City, N. J.	55,806				2	1	1			
Bayonne, N. J.	67,582 54,879 53,082	******	4				i		2	
Berkeley, Cal	54,879	5			1		2			
Atlantic City, N. J. Bayonne, N. J. Berkeley, Cal. Binghamton, N. Y. Brockton, Mass. Canton, Ohio. Charleston, S. C. Covington, W.	53,082	26	12	1	1	*****			1	
Canton Ohio	65,746	10	6	*****	*****		3		5	****
Charleston, S. C.	59, 139 60, 427 56, 520	23					9	*****	*****	
	56, 520	11	2				1		2	
Duluth, Minn El Paso, Tex	91, 913	******			1				3	
El Paso, Tex	51,936 73,798 72,125	21	4	1	5		1	*****		
Erie, Pa Evansville, Ind	73,798	14	2	1			5	*****	7	,
Flint, Mich	202. 1200	15	5				9	*** ***	5	
Fort Worth, Tex	99,528		i						1	
Flint, Mich. Fort Worth, Tex. Harrisburg, Pa. Hoboken, N. J.	99, 528 70, 754 76, 104	26	1						1	
Johnstown, Pa.	76, 104	19		*****					4	
Kansas City, Kans	96, 585 96, 854	24	7	*****			4	*****		
Kansas City, Kans Lancaster, Pa Lawrence, Mass. Little Rock, Ark	50, 269	*******					4	*****	1	
Lawrence, Mass	98, 197	23	3	1	1		5		2	
Little Rock, Ark	55, 158	16							1	
Malden, Mass Manchester, N. H	50,067 76,959	12 19	3		*****		1	*****	2	
	56, 536	23	1	*****			2	*****	2	
New Britain, Conn	52, 203	20					2	******	-	
Norfolk, Va	88,076	25	2						2	
Passaio N I	88, 158	9	1		1		5			
New Britain, Conn. Norfolk, Va. Oklahoma, Okia Passaic, N. J. Pawtucket, R. I. Portland, Me.	69,010	17		*****					4	
Portland, Me	58, 156 63, 014	17 28	3	*****	i		1	*****		
Sacramento, Cal	04,806	16				*****	1			
Saginaw, Mich	54, 815	18					5			
St. Joseph, Mo	83,974	19	1				1		1	
Sacramento, Cal. Saginaw, Mich. St. Joseph, Mo. San Diego, Cal. Schenectady, N. Y. Somerville, Mass. Springfield, Ill.	51, 115 95, 265	12	7				3		1	
Somerville, Mass	95, 265 85, 460	23	1	1	1	*****	4	*****	2	
	59, 468	21	1	A .				******	2	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con. City Reports for Week Ended Oct. 7, 1916—Continued.

	Popula- tion as of July 1, 1915	Total deaths	Diph	theria.	Med	ısles.		ver.	Tu	ber- osis.
City.	(estimated by U. S. t ensus Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
rcm 50,000 to 100,000 inhabit-										
ants-Continued.	50, 804	16	1				2		4	1
Springfield, Ohio	77, 738 67, 847 75, 218		1				1		6	
Wichita, Kans	67,847		1 3				2		····i	
Wilmington, el	93, 218	17 33	2				1			
Vork Pa	93,161 50,543	33					î			
om 25,000 to 50,000 inhabitants: Alameda, Cal Austin, Tex										1
Alameda, Cal	27,031	2	4							
Brookling Mass	34,016	2	3	1	1					
Brookline, Mass. Butler, Pa Butte, Mont Chelsea, Mass	31, 934 26, 587 42, 918 1 32, 452	8	3	1			2			
Butte, Mont	42,918	34	2	i					15	
Chelsea, Mass	1 32, 452	10	1						2	
Chicopee, Mass	20,000	10	2							
Cumberland Md	34,058	17	1		1		2			
Lanville III	31, 554	6	i	******						
Cavenport, Iowa	25,564 31,554 47,127						5			
Chicopee, Mass. Columbia, S. C. Cumberland, Md. L anville, III. Pavenport, Iowa. Dubqque, Iowa. East Orange, N. J. Eigin, Iil. Everett, Mass.	39 650								1	
East Orange, N. J	41, 155 27, 844 38, 307 41, 144	12		*****		*****	1			
Everett, Mass	27,844	8	· · · · i			*****	*****		1	
Fitchburg Mass	41 144	8		*****						***
Fitchburg, Mass		7					2		1	
Hagerstown, Md	25, 283 47, 774 84, 730 47, 364		6		16		1			
Haverhill, Mass	47,774		4						. 1	
Jackson, Mich	34,730		2				2	*****		****
Kenosha Wie	30,319	15	8		1		· · · · i	*****	*****	
Jackson, Mich. Kalamazoo, Mich Kenosha, Wis. La Crosse, Wis. Lexington, Ky. Limcoln, Nebr Lorain, Ohio Lynchburg, Va. Madison, Wis. Medford, Mass. Montclair, N. J. New Castle, Pa. Newport, R. I. Newton, Mass. Niagara Fails, N. Y. Norristown, Pa. Ogden, Utah. Orange, N. J. Pasadena, Cal.	31, 522	4	1		*****					
Lexington, Ky	31,522 39,703 46,028	17	14	1			6		1	
Lincoln, Nebr	46,028	14	1				4	2		
Lorain, Ohio	35,662						2			
Madison Wis	32,385	11	*****	*****		*****	3	*****	1	
Medford, Mass	30,084 25,737 25,550	6			1		1			
Montelair, N. J	25,550	5							2	
New Castle, Pa	40, 351		1				1		3	
Newport, R. I	29,631	6							2	
Niagara Falls N V	43,085 36,240 30,833	6 7 7 5 8	4 2					*****	4	****
Norristown, Pa	30, 833	7	2		*****				1	
Ogden, Utah	30, 466	5	1							
Orange, N. J.	32 524	8					1		3	
Pasadena, Cal	43,859	6		*****			1		3 4	
Pittsfield Mass	43,859 39,725 37,580	11	3	1	1	******			i	
Portsmouth, Va	38 610 1	6	7							
Quincy, Ill	36,764	12	3	1			1			
Orange, N. J. Pasadena, Caf. Perth Amboy, N. J. Pittsfield, Mass. Portsmouth, Va. Quincy, Ill Quincy, Mass Racine, Wis. Roanoke, Va. San Jose, Cal. Steubenville, Ohio.	36, 764 37, 251 45, 507	9		*****						
Racine, Wis	41,929	12	3	1						
San Jose, Cal.	37 994	ii	1						2	
San Jose, Cal. Steubenville, Ohio Stockton, Cal. Superior, Wis. Taunton, Mass. Topeka, Kans. Waltham Mass	26, 631 34, 508 45, 285	5	1				1			
Stockton, Cal	34,508	16	1 2				1			
Superior, Wis,	35, 957	19	1						1	
Toneka Kans	47 914	5	i		1		1	******		
Waltham Mass West Hoboken, N. J Wheeling, W. Va Williamsport, Pa Zanesville, Ohio.	47,914 30,129 41,893 43,097	7	î		i				1	
West Hoboken, N. J	41,893	10							1	
Wheeling, W. Va	43,097	12	1	*****			1		1	
Zanosvilla Ohio	33, 495 30, 406	7	3				1 3			
om 10,000 to 25,000 inhabit-	30, 100	'					0			
nts:							-			
Ann Arbor, Mich Braddock, Pa	14,979	5							1	
Coles III	21,310 15,593	8	2	*****					1	
Catro, Ili	10,000	*			1		i			

¹ Population A pril 15, 1970; no estimate made.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Con. City Reports for Week Ended Oct. 7, 1916—Continued.

	Popula- tion as of July 1, 1915		Diph	theria.	Mea	sles.		rlet er.		ber- nsis.
City.	(estimated by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Prom 10,000 to 25,000 inhabit- ants—Continued. Coffeyville, Kans. Concord, N. H. Galosburg, Ill. Kokomo, Ind. Long Branch, N. J. Morristown, N. J. Morristown, N. J. Nanticoke, Pa. New bondon, Conn. North Adams. North Adams. Northampton, Mass. Northampton, Mass. Northampton, Mass. Valudield, N. J. Rutland, Vt. Saratoga Springs, N. Y. Steelton, Pa. Wilkinsburg, Pa. Wilkinsburg, Pa. Woburt, Mass.	16, 765 22, 480 23, 923 20, 312 15, 057 13, 158 22, 441 15, 195 20, 771 22, 019 19, 846 23, 280 14, 624 12, 842 15, 337 22, 361 15, 862	5 2 5 3 2 4 7 2 7 4 6 6 2 4 3 1 1	2 1 1 5 1 1 1 1 1	1	2		1		1 1 1	

¹ Population Apr. 15, 1910; no estimate made.

FOREIGN.

BRAZIL.

Plague-Bahia District.

Plague was reported present in the Bahia District, Brazil, October 24, 1916.

Communicable Diseases-Habana.

Communicable diseases have been notified at Habana as follows:

		Sept 21	Remain- ing under	
	Digeases.	Cases.	Deaths.	treatment Eept. 30, 1916.
Malaria		3 4 24	1	18 22
Paratyphoid feve Scarlet fever Typhoid fever	r		2	7 3 39 1

¹ From the interior of the Republic.

MEXICO.

Typhus Fever-Mexico City.

During the period from August 1, 1915, to September 9, 1916, cases of typhus fever in Mexico City were reported by weeks as follows:

Week ended—	Cases.	Week ended—	Cases.
1915.	-	1916.	
lug. 7	20	Jan. 1	1,0
14	29	8	9
21	57	15	8
28	119	22	6
ept. 4	111	29	•
11	39	Feb. 5	7
18	38	12	(
25	102	19	
Oct. 2	79	26	
9	66	Mar. 4	4
10	144	11	4
23	93	18	9
30	230	20	3
lov. 6	206	Apr. 1	3
00	294	8	
27	352 418	10	2 2
ec. 4	896	20	î
	770	30	,
18	687	May 6,	. 1
95	773	20	-
W	66.3	AU	

Cases.	Week ended—	Cases,
117 110 90 73 74 86 83 92 87	July 29. 1916. Aug. 5. 12. 19. 26. Sept. 2. 9. Total	78 90 97 103 100 137 407
	117 110	117 July 29. 1916.

UNION OF SOUTH AFRICA.

Plague-Vicinity of Port Elizabeth.

On October 19, 1916, two deaths from plague were reported 20 miles from Port Elizabeth, Union of South Africa.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER. Reports Received During Week Ended Oct. 27, 1916. CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China;				
CantonIndia:	Aug. 11-20		10	
Bombay	Sept. 3-9do		11	
Madura District	do		1	
Rangoon	Aug. 20-26	1		•
ndo-China: Saigon	Aug. 14-Sept. 2	24	17	
anan:	Aug. 11-5cpt	-1	**	
Kobe	Sept. 4-24	217	94	Since Aug. 14, 1916; Cases, 294; deaths, 216.
Nagasaki	Sept. 11-17	38	20	deaths, 216.
Osaka		325	170	Since Aug. 13, 1916; Cases, 705;
				deaths, 232.
fava	******************	******		East Java, July 22-Aug. 4, 1916; Cases, 7; deaths, 6. Mid Java, July 15-Aug. 4; Cases, 58; deaths, 47. West Java, July
				28-Aug. 17: Cases, 228; deaths,
Philippine Islands:			1	
Manila	Aug. 27 Sept. 9	184	109	Not previously reported: Cases,
Provinces				28; deaths, 3. Aug. 28-Sept. 16, 1916; Cases,
Albay	Aug. 28-Sept. 16	96	48	1,529; deaths, 968.
Bataan		27	20	
Bulacan	do	191	130	
Batangas	Sept. 8-16	12	5 55	
Camarines	Aug. 28-Sept. 10	87		
Iloilo		711	400	
Laguna		36	23	
Mindoro		6	4	
Misamis	Aug. 28-Sept. 16	42	25	1
Pampanga	do do	30	28	
Negros Occidental		24	12	
Nueva Ecija	Sept. 10-16	1		
Rizal	Aug. 28-Sept. 16	218	124	
Romblon	Sept. 3-9	4	3	
Samar	Aug. 28-Sept. 2	i	1	
Tayabas	Sept. 3-9	1		
Zambales	Aug. 28 Sept. 16	36	24	
iam:	Aug. 20 -00pt. 10	90	21	
Bangkok	Aug. 6-12	1	1	
urkey in Asia;	Aug. 0-12	1	1	
Jaffa	July 11-29	13	10	
Mersina		13		
Teableond	Aug. 6-12		2	
Trebizond	Sept. 3 9	5	2	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

Reports Received During Week Ended Oct. 27, 1916—Continued.

PLAGUE.

Place.	Date.	Cases.	Deaths.	Remarks.
China:	1 1.10			
Canton Egypt:	Aug. 1-10		3	
Alexandria	Sept. 10-16	1		
India:				
Bombay	Sept. 3-9	10		
Karachi Madras Presidency	do	338	225	
Rangoon	Aug. 20-Sept. 2	32	31	
Indo-China:	and and and	-		
Saigon	Aug. 14-Sept. 2	9	4	
Java: Residency—				
Kediri	July 22-28	2	2	
Pasoeroean	do	3	3	
Surabaya	July 22-Aug. 4	6	6	
Siam: Bangkok	July 31-Aug. 19	11	11	
	CMAI	LPOX.		
-	SMAL	LFUA.		
China:	Aug. 1-10		1	
Cuba:				
Cienfueges	Sept. 24-30	2		
India:	Cant 2.0	4	2	
Bombay Madras	Sept. 3-9do	11	5	1.
Rangoon	Aug. 20-Sept. 2	5	5	
Java.				East Java, July 22-Aug. 4, 1916.
Mexico:				East Java, July 22-Aug. 4, 1916. Cases, 15. Mid Java, July 15- Aug. 4: Cases, 33; deaths, 7. West Java, July 28-Aug. 17: Cases, 109; deaths, 13.
Aguascalientes	Sept. 25-Oct. 1		4	
Straits Settlements: Singapore	Aug. 20-26	1		
Switzerland:		1	*********	
Basel	Aug. 13-Sept. 23	4	*********	
	TYPHUS	S FEVE	R.	
China:				
Antung	Sept. 4-10	1		
Egypt: Alexandria	Sept. 10-16		2	
Java	ьере. 10-10			East Java, July 22-Aug. 4, 1916;
				East Java, July 22-Aug. 4, 1916; Case, 1. Mid Java, July 15- Aug. 4: Cases, 14; deaths, 2. West Java, July 28-Aug. 17; Cases, 28; deaths, 5.
Mexico: AguascalientesSweden:	Sept. 25-Oct. 1		14	
Sweden: Stockholm Switzerland:	Sept. 3-16	3		
Basel	Aug. 20-26	3		
Turkey in Asia:				
Hålfa	July 24-30	15	7	
	YELLOW	FEVE	t.	
Barbados,	Sept. 24-30	3	8	
Dat (1000000000000000000000000000000000000				

Reports Received from July 1 to Oct. 20, 1916.

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Austria-Hungary				Mar. 12-May 6, 1916: Coses, 425
Austria	Mar. 26-Apr. 8	2		deaths, 156.
Do	July 9-15	ī		deaths, 100.
Bosnia-Herzegovina	July 9-15 Mar. 12-May 20	398	147	
Hungary	Mar. 20-Apr. 2	2		1
evion:				1
Colombo	June 25-July 1	1	1	May 7-20, 1916: Cases, 43; deaths, 5, from s. s. Hong Kheng from Halfong; total to June 1: Gases, 61; deaths, 37. May 28-June 10, 1916: Cases, 19, from the port.
hina:				
Dairen	Aug. 6-12	1		On s. s. Taihei Maru from Hong-
Hongkong	Aug. 19-Sept. 2	9	9	_ kong and Chefoo.
Macao	Aug. 17	*******		Present.
Shanghai	Aug. 20-26		2	Chinese.
gypt: Suez				
Suez	May 18-20 May 22-June 3	5	2	From s. s. Pei-ho from Bombay,
Tor, quarantine station	May 22-June 3	112	42	Do.
reece:				
Moschopolis	July 25-31	15	8	
idia:				
Akyab	June 11-July 8		2	
Bassein	Apr. 23-June 10		3	
Bombay	May 14-July 1	21	9	
Do	July 2-Sept. 2	129	84	
Calcutta	June 11-July 8. Apr. 23-June 10. May 14-July 1. July 2-Sept. 2. May 7-July 1. July 2-Aug. 12. Apr. 23-July 22. Apr. 23-Sept. 2		250	
Do	July 2-Aug. 12		59	
Henzada	Apr. 23-July 22		7	
Karachi	Aug. 28-Sept. 2 June 25-July 1		1	
Madras	June 25-July 1	1	1	
Do	1 111112 2-22	5	3	
Madura District	Aug. 28-Sept. 2 July 23-29 July 2-8.	1	1	
Mandalay	July 23-29		1	
Pakokku	July 2-8		1	
Pegu	Inne 4-10		1	
Rangoon	May 24-July 29	13	9	
Do	May 24-July 29 July 1-31	1	1	
1- (1) !		1		D
do-China			*******	Dec. 1-31, 1915: Cases, 510; deaths
Provinces— Anam	D 1 01	***	388	395. Jan. 1-Mar. 31, 1916: Cases,
Do	Dec. 1-31	493	1.024	2,018; deaths, 1,100.
Cambodia	Jan. 1-Mar. 31 Jan. 1-Feb. 29 Jan. 1-Mar. 31	1,753	1,024	
Cochin-China	Jan 1 Mar 21	10		
Tonkin	Dec. 1-31	17	7	
Do	Jan. 1-Mar. 31	244	62	
Saigon	Mar t Tube 2	162	74	
Do	May 1-July 2 July 3-Aug. 5	45	28	
pan:	July 3-Aug. J	40	40	
Kobe	Amer 20	46 1		
Nagasaki	Aug. 30	279	118	
Osaka	Aug. 30	353	113	
Yekohama	Aug. 15	6	5	55 cases, with 9 deaths in quaran-
* *************************************	2108. 10	0		tino from s s Hawaii Maru
		1	1	tine, from s. s. Hawaii Maru from Hongkong via ports. Total to Sept. 10, 1916: Cases, 29;
Do	Sept. 4-10	12	3	Total to Sent 10, 1916: Cases 30:
170	Sept. 4-10	12	9	deaths, 15.
Suburbs of city	Aug. 14-20		4	doutis, 10.
Districts	Sept. 4-10	21	8	Total to Sept. 10, 1916: Cases, 82;
P. 311 (311 (111)((111 (111 (111)((111 (111)((111((111)((111)((111((111)((111)((111)((((111)((((11)(((11)((((11)((((((((echt. 1-10	41	0	deaths, 45.
va		i		East Java, Apr. 8-June 30, 1916:
Batavia.	Apr 12 June 20		80	
Do.	Apr. 13-June 29 July 7-13	16	12	24: Cases, 6: deaths, 2. Mid
Malang	Apr. 8-14	2	2	Java, June 3-30, 1916; Cases, 30;
	Apr. 28-May 5	2	2	deaths, 26. July 1-24: Cases
Malang and Diombank	input and and attent	-	-	20: deaths, 18. West Java.
Malang and Djombank		1		Apr. 3-June 29, 1916; Cases
Malang and Djombank	1			661: deaths, 400. July 7-27:
Malang and Djombank		1		
Malang and Djombank				Cases, 334: deaths, 218
	May 6.19		9	Cases, 334; deaths, 218.
Malang and Djombank Surabaya residency	May 6-19	5	2	Cases, 334; deaths, 218. Including Malang, 2 cases, and Sidoardio and Malang, 3 cases
	May 6-19	5	2	Cases, 30; deaths, 25. July 1- 24; Cases, 6; deaths, 2. Mid Java, June 3-30, 1916; Cases, 30; deaths, 26. July 1-24; Cases, 20; deaths, 18. West Java, Apr. 3-June 29, 1916; Cases, 661; deaths, 409. July 7-27; Cases, 334; deaths, 218. Including Malang, 2 cases, and Sidoardjo and Malang, 3 cases, with 2 deaths
Surabaya residency	May 6-19	5	2	
· ·		5	2	Cases, 334; deaths, 218; Including Malang, 2 cases, and Sidoardjo and Malang, 3 cases, with 2 deaths. Sept. 23, 1916; In southern and central Korea, 108 cases.

Reports Received from July 1 to Oct. 20, 1916-Continued.

CHOLERA—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Persia:				
Asterahad	. June 10			Present, with 4 or 5 deaths daily.
En eli	July 1-31	7	4	
Foumen	May 9	3	2	Previously erroneously included
Ghazian	June 13	2	1	in cases at Recht.
Kazvin	. July 1-31	22	15	
Mohammerah	June 12			Present.
Recht	July 1-31	19	2	
Teheran				Do.
Urumiah Philippire islands:	July 1-31	25		
Manila	May 14-July 1	36	25	
Do	Aug. 6-26	174	94	Not previously reported: Cases,
Do	Aug. o ao	11.0	34	16; deaths, 1.
Provinces				July 16-Aug. 26, 1916: Cases,
Albar	July 2-Aug. 26	218	109	1,675; deaths, 943.
Bataan	do	. 5	2	1,070, 4000115, 510.
Batan as		19	9	
Bula- an	June 18-July 1	17	4	
Do		018	302	
Cagavan	June 25-July 1	2	1	
Ďo	Jul 2-8	2		
Camarines	June 13-July 1	69	32	
Do		843	528	
Cavite	June 11-July 1	14	11	
Do		25	19	
Iloilo		23	17	
Laguna	Ma 21-July 1	31	20	
Do	July 2-Aug. 26	121	91	
Mindanao	Jul 16-Aug. 5	. 19	11	
Misamis	July 16-Aug. 26	170	94	
· Pamramga	July 9-Aug. 5	61	52	
Do		43	35	
Rigal Do	May 24-July 1 July 2-Aug. 26	11	9 89	7
Romblon	June 18-Jul 1	153 68	39	
Do	Jul 9-Aug. 26	19	16	
Ta abas.		ii	8	
Do		ï	1	
Zambales		13	7	
Siam:		-		
Bangkok	May 15-27	22	21	
Do	July 16-29	4	4	
Straits Settlements:				
Sincar ore	May 27-June 24	8	- 3	
Do	Aurg. 13-19	1	1	
Turker in Furore:	Man 10 Yester 6	***	40	Descent among colding Ton- 14
Constantinor le Turke in Asia:	May 19-July 6	118	63	Present among soldlers June 14.
Adana	June 16-July 9	106	60	
	June 15 95		16	
Alenro	June 15-25. June 15-July 5 July 14-19.	78	18	
Beirut	July 14-19	39	17	
Damascus	June 16-July 3	77	50	
Jaffa	June 17-25	67	39	
De	Jul 1-26	99	28	July 9-15: Cases, 39: deaths, 25.
Smyrna	June 15-28	22	13	Epidemic. Estimated number
Trebizond	Aug. 6-Sept. 2	37	7	cases daily, 50.
At sea:				
Steamship Hong-Kheng	Apr. 27-May 9	17	16	En route from Haifong, Indo-
				China, to Colombo. From Saigon, Indo-China, for
Steamship Pei-ho	Apr. 19-30	1	1	From Salcon, Indo-China, for
_				Colombo.
Do	May 5-17	- 81	8 1	From Colombo for Suez.

PLAGUE.

Brazil: Pernambuco, State	Jan. 1-Mar. 31			Several cases.
Ceylon: Colombo Do	Apr. 30-July 1 July 2-Aug. 19	49 42	46	
Chile: Mejillones. Antofagasta	May 28-June 3	1		

Reports Received from July 1 to Oct. 20, 1916-Continued.

PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Amoy Honglong Do	July 16-Aug. 5 May 28-June 30 July 23-Sept. 2	7 3	7 3	Present. Present in vicinity Aug. 12.
Ecuador:	May 1-31			Epidemic.
Bahia	do		2	Country district, vicinity of Bahia.
Daule Qua aquil Manta	May 1-June 30	. 10	3	Country district, vicinity of
EgyptAlexandria	May 26-Sept. 9	46	28	Jan. 1-Aug. 31, 1916: Cases, 1,690; deaths, 823. Jan. 1-June 29, 1916: Cases, 1,634; deaths, 792.
Cairo	July 10	11	10	Imported.
Provings—	July 20-Aug. 3	5	4	
AssioutBeni-Souef	May 27-June 29 May 26-June 25	34	8	
Do	July 1-10	2	1	
Fayoum	Inly L. Ang 3	112	45	
DoGalioul eh	June 7	1		
Girgeh	June 9-21	3 7	1 7	
Menou eh	June 12-30	9	1 4	
Do	July 1-31	. a	3	
Minieh Do	May 29-June 30	37	14 2	
Bristol	Aug. 18-31 Aug. 19-31	3 2	·····i	
Li erpool	Sept. 22-29	5	3	
Greece: Island of Chios— Mitylene	Sept. 29			Present. Slight epidemic.
VoloIndia.				May 7-Aug. 12, 1916: Cases,
Bassein	May 14-July 1	290	242 264	12,118; deaths, 8,810.1
DoCalcutta	May 7-July 1	108	93 14	
Henzada	Apr. 23-July 1		14	
Do	July 9-22		61	
Karachi Do	July 2-Ang. 2i	72	5	
Madras Presidency			94	
Do			726	
Mandalay	May 14-June 3 Apr. 23-June 10 July 2-29. June 11-July 15 Apr. 23-May 20		37	
Do	July 2-29		69	
Pegu Prome	June 11-July 15	*****	3	
Do			0.07	
Rangoon	Apr. 23-July 1	467	192	Apr. 16-22, 1916: Cases, 54;
Toungoo	June 25-July 1		2 9	deaths, 52.
Do	July 9-29	*******	, ,	
Indo-China			*********	Dec. 1-31, 1915: Cases, 90; deaths, 70. Jan.1-Mar. 31, 1916: Cases, 290; deaths, 191.
Provinces— Anam	Dec. 1-31	36	20	
Do	Jan. 1-Mar. 31	131	93	
Cambodia	De: 1-31	27	36	
Cochin China	Jan. 1-Feb. 29	77	71	
Do	Jan. 1-Mar. 31	82	27	
Tonkin	De: 1-31	23	23 30	
Saigon Do	May 15-July 2 July 24-Aug. 12	55	30	

Reports for week ended May 20 and 27, 1916, not received.

Reports Received from July 1 to Oct. 20, 1916-Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Java:				
Residences—				
Kediri	Apr. 9-May 19	18	18	
	Apr. 9-June 30	13	12	
	July 1-14	1	1	
	Apr. 9-June 30	98	25	
	July 1-14	28 8		
		15	24	
	Apr. 9-June 30	15	24	
Japan:				
Taiwan-				
	July 15–22	2	2	17 miles from capital city.
Mauritius	Apr. 15-June 21	6	8	
Persia:				
	May 2-19	20	14	
Siam:	, . 10			
Bangkok	Apr. 30-July 1	66	59	
	fuly 2-29.	29	23	
	uly 2-29	29	23	
Straits Settlements:		- 1		
Singapore	Apr. 30-July 1	5	1	
Do	July 2-Aug. 5	1	4	
Union of South Africa:				
Orange Free State	fan. 23-Mar. 26	36	23	Remaining under treatment Mar. 26, 6 cases.

SMALLPOX.

Australia: New South Wales		1		Aug. 4-17, 1916; Cases, 6.
Angledool	July 21-Aug. 3	1		Aug. 4-11, 1919. Cases, 0.
Guildford	June 9-22	2		
Lake Macquarie	Aug. 4-17	2		
Narrabri	May 23-June 7	8		
Do	July 7-Aug. 17	19		
Swansea	Aug. 4-17	19		
	June 23-30	i	*******	
Sydney			*******	
Do	July 1-Aug. 3	4	********	
Tamworth	June 9-22	1		
Do	July 7-20	1	********	
Walgett	July 21-Aug. 3	6		
Austria-Hungary:				
Austria				Feb. 13-May 20, 1916: Cases, 2,173
Galicia, Province	Apr. 23-May 20	464		
Prague	July 2-Sept. 9	6	2	
Vienna		4	1	
Do	July 9-Aug. 5	3		
Hungary-	and a wage account			
Budapest	May 21-July 1	38	15	
Do	July 2-Sept. 9	1	1	
	July 2 Sept. J			
Brazil: Bahia	July 2-Aug. 26	8	s	
	July 2-8		4	

Rio de Janeiro	Apr. 9-June 17	94	18	
	July 9-Aug. 19	55	8	
Santos	May 8-14		1	
British East Africa:				
Mombasa	Apr. 24-May 31	4	2	
Do	July 1-31		1	
'anada:				
Ontario:				
Fort William and Port	July 9-15	1		
Arthur.				
	July 2-8	1		
Toronto	June 25-July 29	3		
Cevlon:	June an July an		********	
Colombo	May 7-June 3	4		
	may a sunc s		********	
China:	M 22 L 10	2		
Antung	May 22 June 18		1	
Chunking	May 7 June 24	******	********	
	July 2 -Aug. 21		********	Present.
Dairen			1	Do.
	July 16 Aug. 26		2	-
Foochow	Mars 7 97		9	Do.

Reports Received from July 1 to Oct. 20, 1916--Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
China—Continued.			1	-
Harbin	May 2-June 18	3	1	
Γο	July 9 Aug. 13 May 7-June 24	3	2	
Hongkong	May 7-June 24	68	30	
10	July 2 Sept. 2	14	13	
Nanking	June 11-Ang. 19		1	Present.
Tientsin	May 14 July 1	45	11	The state
10	July 2 29	3	i	
Egypt:	July 2 20.111111111			
Alexandria	May 28-June 17	4	9	
Cairo	Jan. 22-May 27	184	57	
Port Said	Mar. 12-May 27	6	6	1
rance:			1	
Paris	May 14-July 1	9		
Do	July 2-8	1		1
termany:				
Bre-lan	May 21-27	1		
Hamburg	June 11-17	1		1
Konigsburg	July 2-Sept. 2	4		
reat Britain;				
Cardiff	June 4-17	1	1	
1 on on	do	i		
Southampton	July 31- Aug. 5	0 1		
reece:	out, so mag.	-		
Athens	Apr. 1-June 13	178	37	
Do	Apr. 1-June 13 July 9-23			Present. Estimated occurrence
201111111111111111111111111111111111111				10 cases weekly.
ndia:				
Bassein	May 7-June 10		2	
Bombay	Marc 14. Index 1	153	79	
Γο	July 2 Sept. 2 May 7-June 3 July 2-Aug. 5 Aug. 6 Sept. 2 May 14-July 1	47	32	
Calcutta	May 7-June 3		3	
10	July 2-Aug. 5		2	
Karachi,	Aug. 6 Set t. 2	5	4	
Ma.iras	May 14-July 1	139	42	
1)0	July 2 Cel t. 2	94	47	
Rangoon	Apr. 23-July 1	260	135	
Do	July 2 -29	10	5	
ndo-China				Dec. 1-31, 1915: Cases, 74; deaths 14. Jan. 1-Mar. 31, 1916: Cases
Provinces-				14. Jan. 1-Mar. 31, 1916: Cases
Anam	Dec. 1-31	48		399; deaths, 27.
Do	Jan. 1-Mar. 31	68	5	
Cambodia	Dec. 1-31	19	13	
Do	Jan. 1-Mar. 31,	38	14	
Coehin China	Dec. 1-31 Feb. 1-Mar. 31	1	1	
Do	Feb. I-Mar. 31	23	2	
Saigon	July 24-Aug. 13	4	4	
Tonkin	Dec. 1-31,	6		
Do	Jan. 1-Mar. 31	270	6	
apan:	M 00 T 00			
Kobe	May 29-June 25 July 24-Sept. 3	24	4	-
Do	July 21-Sent. 3	11	2	
Nagasaki	June 26-July 2	1	1	Fact lave Ame & Inne 20 1016.
Batavia.	Apr. 12 June 20	91		Cases 8% deaths 11 July 1 01
	Apr. 13-June 29	31	9	Cases, 85; deaths, 11. July 1-21;
Do	June 33-July 13 May 13-19	6 2	4 2	Cases, 27; deaths, 1. Mid Java,
Samarang		2	1	Apr. 1-June oo, 1916; Cases,
Surabaya	May 9-June 16	- 2		Cases 21: deaths 7 West
	1			Iava Apr 13-lune 20: Cases
				278; deaths, 59. June 30-July
				East Java, Apr. 8-June 30, 1916. Cases, 88; deaths, 11. July 1-21: Cases, 27; deaths, 1. Mid Java, Apr. 1-June 30, 1916; Cases, 233; deaths, 47. July 1-21: Cases, 23; deaths, 7. West Java, Apr. 13-June 29; Cases, 278; deaths, 59. June 30-July 27; Cases, 144; deaths, 21.
alta	Apr. 1-30	7	1	
exico:			-	
Aguascalientas	June 12-July 2		33	
Do	July 3-Sept. 24		40	
Frontera	July 3-Sent. 24 May 23-June 10	4	1	
Guadalajara	June 11-17	35	9	
Mazatlan	May 31-June 6		4	
Mexico City	Aug 28-Sept. 23	39		
Tenosique	June 14			175 miles south of Frontera:
Vera Cruz	June 4-July 2		9	Epidemic among troops,
Do	July 3-Sept. 3		4	
etherlands:			-	
Amsterdam	May 28-June 3	1		

Reports Received from July 1 to Oct. 20, 1916-Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Philippine Islands:				
Manila	do	1		-
Do	July 1-8	3		
Porto Rico	vary 1 0	-		June 19-25, 1916: Cases, 33.
Aguas Buenas	June 19-25	5	*********	suite 15-20, 1510. Cases, ob.
Arecibo	do	2		
Do	Aug. 7-13	î	********	
	June 19-July 2	2	********	
Bayamon		4	********	
Naranjito	June 26-July 2		********	
	do	1	*******	
	do	24	*******	
Toa Alta	do	12	********	
Lisbon	May 21-July 1	15		
Do	July 9-Aug. 26	9		
Russia:				
Moscow	Apr. 30-July 1	222	59	
Do	July 2-Aug. 26		142	
Riga	Apr. 6-May 31	ï	1	
	July 1-22	2		Apr. 1-30, 1916: 1 case.
Do			95	Apr. 1-50, 1919. 1 case.
Petrograd	Apr. 23-July 1	162	35	
Do	July 2-Aug. 19	70	17	
Bangkok	May 24-30	2		
pain:	-			
Cadiz	July 1-31		1	
Madrid	May 1-31		13	June 1-30, 1916: Cuses, 10.
Do	July 1-Aug. 31			
Malaga	May 1-31			
Seville.	May 1-June 30			
Do	Aug. 1-31	******	4	
Valencia		10	1	
	May 21-July 1	12		
Do	July 8-Sept. 2	8	********	
Straits Settlements:	** ** **	-	1	
Penang	May 14-20	3	********	
Singapore	Apr. 30-July 1	5	3	
Do	July 16-Aug. 19	4	2	
witzerland:				
Basel	May 13-July 1	29		
Do	July 2-15	9		
nion of South Africa:				
Durban	June 1-30	1		
Johannesburg	May 28-June 3	1		
enezuela:	may 25 vanc o			
	Sept. 2-22		3	
anzibar:	Sept. 2-22	*******		
	May 12			From s. s. Dilmara.
t sea:	May 12			From S. S. Dinners.
Steamship Katuna			*******	Case of smallpox landed a Colombo, Ceylon, May 12, 1918 Vessel arrived May 27 at Fremantle, Australia, was ordered to quarantine, and proceeds to Melbourne direct for disk

TYPHUS FEVER.

Austria-Hungary: Austria. Galicia, province	Apr. 22-May 20	1,311	********	Feb. 13-May 20, 1916: Cases, 2,407.
Vienna Hungary	July 2-15	3	********	Feb. 21-Mar. 5, 1916: Cases, 35;
Budapest	May 21-June 24 July 2-Sept. 9	14	2	deaths, 7.
Belgium:		9		W.*
Liege Canada:	Aug. 12-19		1	
New Brunswick-	V. V. 00			
St. John Canary Islands:	July 29	•	*******	
Santa Cruz de Teneriffe	July 31-Aug. 5		1	

Reports Received from July 1 to Oct. 20, 1916-Continued.

TYPHUS FEVER—Continued.

-		10	1 mouth	1
Place.	Date.	Cases,	Deaths.	Remarks.
China:				
Antung	June 19-25	. 1	1	
Do	July 22-Aug. 27	1 3		
Harbin	May 2-8	1		
Do	July 3-16	1		
Tientsin	May 14-20		1	
Egypt: Alexandria	May 21-July 1	235	93	
	July 2-Sept. 0		66	
Cairo	Jan. 8-May 27	900	400	
Port SaidGermany:	Mar. 18-May 27	41	21	
Aix la "hapelle	July 2-Aug. 12		2	
Barmen	Aug. 13-19		1	
Berlin	June 18-24		1	
Do	July 16-Aug. 19		8	
Bremen	July 16-Aug. 19 July 16-Aug. 12	6		
Breslau	Aug. 15–21	3		
Chemnitz	May 28-June 3		1	
Frankfort on Main	June 11-17		1	
Hanover	May 7-27 July 1-29	4	1	
Do	July 1-29	3		
Konigehorg	June 4-10	i		
Do	July 9-Aug. 26	13		
I elpzig	June 4-10		1	
StettinGreat Britain:	July 16-Aug. 19		3	
Belfast	July 16-Sept. 9	12	4	
Glasgow	July 9-Aug. 12	8	6	
Grecce:	g	_		
Athens	July 24-Aug. 21		2	
Saloniki	May 1-July 2		61	
. Do	July 3-Aug. 21		49	
Italy:	out o stug. Little			
Palermo	June 29-July 5	1	1	
Japan:				
Hakodate	July 16-22	2		
Tokyo	May 22-July 25	114		Jan. 1-July 25, 1916; Cases, 468
Java				Jan. 1-July 25, 1916; Cases, 468 East Java, Apr. 8-June 30, 1916 Cases, 24; deaths, 9. Mid-Java
Batavia	Apr. 13-June 29	46	13	Cases, 24; deaths, 9. Mid-Java
Do	July 7-27	24	4	Apr. 1-June 30, 1916: Cases, 76 deaths, 18. July 1-14: Cases 12; deaths, 2. West Java, Apr
Samarang	Apr. 1-June 30	20	8	deaths, 18. July 1-14: (ases
Surabaya	Apr. 1-June 30 Apr 8-May 12	6	6	12; deaths, 2. West Java, Apr
Do	July 1-7	1	*******	13-June 29, 1916; Cases, 118 deaths, 18. July 7-13; Cases 9; deaths, 2.
Mexico:				
Aguascalientes	June 12-July 2		32	,
Do	July 3-Sept. 24		167	
Chihuahua	Sept. 7	40		Sept. 20: Estimated number of
				cases, 100.
Durango	Sept. 1			Present.
Juar z	Sept. 7-20	18	********	
Guadalaiara	Jane 11-17	4	1	
Mexico City	Aug. 28-Sept. 23	699		
Vera Cruz	June 4-9		2	
Do	July 24-Sept. 24		8	
Zacatecas, State			********	Sept. 7: Prevalent.
Netherlands:				
Rott rdam	July 30-Aug. 5		1	
Norway:				
Bergen	do		1	
Russia:				
Moscow	Apr. 30-July 1	603	52	
Po	July 9-Aug. 26	254	12	
Petrograd	Apr. 27-July 1	59	13	
Do	July 3-Aug 19	22	5	
Spain:			1	
Madrid	Aug. 1-31	******	1	
Sweden:				
Stock-holm	June 21-27	1		
Do	July 9-29	5		
Switzerland:				
Basel	July 24-Aug. 13 May 21-27 July 23-Sept. 2	5		
Geneva	May 21-27	1		

Reports Received from July 1 to Oct. 20, 1916-Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Do Ju Bagdad Ju Haifa Ap Do Jui Jaffa Ap Mersina Ma Do Jui Tarsus Ma Do Jui	y 13–June 25 yy 2–8 to 27 tr. 24–June 11 y 10–23 r. 23–June 25 y 7–June 25 y 2–8 y 13–27 y 2–8 y 2–8 y 2–8 y 3–6-12	35 53 9	13 24 47	Present. Do. Do. Mar. 19-Apr. 1, 1916: Present. Apr. 2-8, 1916: Cases, 3. May 6 20: Many cases. Do. Present. Do.
	YELLOW	FEVE	R.	
Ecuador: Babahoyo. Jun Guayaquil Ma Milagro Jun Merida Jul	ot. 17-23	3 2 76 1 25 2	2 51 1 7	

SANITARY LEGISLATION.

STATE LAWS AND REGULATIONS PERTAINING TO PUBLIC HEALTH.

DISTRICT OF COLUMBIA.

Tuberculosis-School Attendance. (Reg. Commissioners, Sept. 8, 1916.)

Section 7 of the regulations to prevent the spread of tuberculosis in the District of Columbia has been amended to read as follows:

Sec. 7. No person suffering from laryngeal or pulmonary tuberculosis, or from tuberculosis in any other communicable form, shall attend any public or private school, either as teacher, pupil, janitor, or helper. No superintendent, principal, or teacher, and no parent, guardian, or other person having power and authority to prevent, shall permit any person, suffering from laryngeal or pulmonary tuberculosis, or from tuberculosis in any other communicable form, to attend any public or private school, either as teacher, pupil, janitor, or helper: Provided, however, That the provisions of this section shall not apply to schools maintained solely for the instruction of persons suffering from tuberculosis.

Advertisements—False or Misleading, Prohibited. (Act No. 83, United States Congress, May 29, 1916.)

That it shall be unlawful in the District of Columbia for any person, firm, association, corporation, or advertising agency, either directly or indirectly, to display or exhibit to the public in any manner whatever, whether by handbill, placard, poster, picture, film, or otherwise; or to insert or cause to be inserted in any newspaper, magazine, or other publication printed in the District of Columbia; or to issue, exhibit, or in any way distribute or disseminate to the public; or to deliver, exhibit, mail, or send to any person, firm, association or corporation any false, untrue, or misleading statement, representation, or advertisement with intent to sell, barter, or exchange any goods, wares, or merchandise; or anything of value, or to deceive, mislead, or induce any person, firm, association, or corporation to purchase, discount, or in any way invest in or accept as collateral security any bonds, bills, share of stock, note, warehouse receipt, or any security; or with the purpose to deceive, mislead, or induce any person, firm, association, or corporation to purchase, make any loan upon or invest in any property of any kind; or use any of the afonesaid methods with the intent or purpose to deceive, mislead, or induce any other person, firm, or corporation for a valuable consideration to employ the services of any person, firm, association, or corporation so advertising such services.

SEC. 2. That prosecution bereunder shall be in the police court of the District of Columbia upon information filed by the United States District Attorney for the District of Columbia, or one of his assisants.

Sec. 3. That any person, firm, or association violating any of the provisions of this act shall, upon conviction thereof, be punished by a fine of not more than \$500 or by imprisonment of not more than 60 days, or by both fine and imprisonment, in the discretion of the court. A corporation convicted of an offense under the provisions of this act shall be fined not more than \$500, and its president or such other officials as may be responsible for the conduct and management thereof shall be imprisoned not more than 60 days, in the discretion of the court.

MASSACHUSETTS.

Poliomyelitis—Prevention—Local Boards of Health Authorized to Make Regulations. (Ch. 313, Act Sept. 14, 1916.)

Section 1. Boards of health in cities and towns or the selectmen in towns having no board of health may make such rules and regulations as are necessary and proper to check the spread of the disease known as infantile paralysis, and to cause its eradication by quarantine or otherwise. It shall be the duty of the said boards of health or selectmen to notify forthwith the State department of health of any such rule or regulation made by them.

Sec. 2. The State department of health shall have the power to revoke or revise any rule or regulation made under the provisions of section 1 which it may deem unnecessary or unreasonable, and no rule or regulation made under the provisions of this act shall have any force or effect after the fifteenth day of January in the year 1917.

NEW JERSEY.

Foodstuffs-Cold Storage-Regulation. (Reg. Dept. of H., Aug. 8, 1916.)

1. No warehouse will be considered to be properly equipped unless the rooms in which foods are to be stored can be held at temperatures sufficiently low to preserve such foods without decomposition. The temperatures of the rooms in which foods are stored must not be allowed to rise above the maximum point at which foods can be so preserved.

2. Articles of food intended for cold storage shall, when they are offered for or placed in storage, be inclosed in boxes, barrels, crates, or other packages sufficiently strong and tight to prevent them from being injured by careless handling, unless the articles are of such character that it is impracticable to pack them in containers.

3. When articles of food contained in packages are placed in cold storage each package shall be legibly marked with the words "Cold storage," and with the word "Received," followed by the month, day, and year when said articles were placed in storage. The word "Delivered," followed by the month, day, and year when such articles are taken from storage, shall be stamped upon foods or packages before being removed therefrom.

When articles of food not contained in packages are placed in cold storage or removed therefrom each individual article must be marked in the above manner.

All letters or figures must be in plain type not less than three-eighths of an inch in height.

The word "Received" may be written "Rec'd" and the word "Delivered" may be written "Del'd." Figures separated by hyphens may be used to infli-

cate dates and will be regarded as sufficient date if following the word "Rec'd" or "Del'd," as the case may be. The last two figures of the number indicating the year when such foods were placed or taken from storage may be used, e. g., "Received July 5, 1916," may be written "Cold storage, rec'd 7-5-16," or "Delivered August 5, 1916," may be written "Del'd 8-5-16."

Whenever tags or labels are used on which dates are to be marked they must be securely fastened to the articles to which they are affixed.

- 4. Articles which are held at low temperatures for temporary protection only, for periods less than 30 days, will not, for the purpose of this act, be regarded as being held in cold storage, and such articles need not be dated, but such articles must be kept in separate rooms or inclosures from which articles are kept in cold storage, and persons operating cold-storage warehouses must keep an accurate record of the date of receipt and removal of such articles, which record shall at all times be open to inspection by representatives of the department of health of the State of New Jersey: Provided, however, That if articles of food which have been kept at a low temperature for temporary protection are held for more than 30 days at such low temperature they shall then be regarded as having been placed in cold storage, and shall be marked, in the manner provided in rule 3, with the words "Cold storage" and with the word "Received," followed by the month, day, and year when the period of temporary protection began, and such article shall be removed from the room or inclosure in which articles temporarily protected are kept, and shall be placed in rooms or inclosures used for cold storage.
- 5. Articles of foods held at low temperatures during the process of manufacture will not be regarded as being held in cold storage within the meaning of this act, and such articles need not be dated.
- 6. When articles of food have been kept in cold storage 12 calendar months report of such fact shall be made to the State department of health by the persons having custody of such articles, and such articles shall be held in cold storage by such persons until they have been inspected by the agents of the State department of health and released by order of said department.
- 7. For the purpose of facilitating the removal of articles of food from cold storage before the expiration of the statutory period of 12 calendar months, persons operating cold-storage warehouses shall notify the owners of all articles of food stored by them of the date when such articles will have been in storage 12 months at least 15 days before such 12 months have elapsed.
- 8. Until further notice the following classification of foods shall be used by persons operating cold-storage warehouses in making monthly reports of articles of food held in cold storage: Eggs, case; eggs, broken; butter; cheese; poultry; game; ment, fresh; fish; edible fats; miscellaneous milk products.

Shell eggs are to be reported in terms of cases and dozens; all other articles to be reported as packages and, in so far as the same is practicable, by weight.

- 9. Requests for permission to store food for a longer period than 12 calendar months must be made by the owners thereof to the State department of health upon blanks which will be furnished by the department upon application. Such requests shall include statements of the kind and amounts of food and the length of extension desired. Before such requests are granted the articles of food to which they refer must be inspected by representatives of the department of health of the State of New Jersey. Requests should, therefore, be made at least two weeks before the statutory time limit for storage has expired.
- 10. No materials in a state of decomposition or putrefaction, or in any other condition which renders them unfit for food, or in any condition which may cause deterioration in other food products, shall be placed in cold storage in the same room or inclosure with articles intended for use as food.

- 11. When articles of food held in cold storage are removed from the packages in which they were contained and placed in other packages the date of original entry into cold storage of such articles shall be placed upon the containers into which they have been transferred; and if articles of food which have been placed in cold storage on different dates are packed in the same container the date of storage of the article longest stored shall be placed upon the container to which such articles have been transferred.
- 12. Any article of food, if intended for use other than human consumption, shall be plainly and legibly labeled or marked with the words "Not for human consumption," in letters not less than 1 inch in height.
- 13. All rooms in which food products are stored shall be provided with smooth, water-tight floors which can be readily cleansed. Floors must be kept in a clean condition at all times.
- 14. The side walls and ceilings of all rooms shall be of smooth material, free from crevices, and must be kept clean at all times.
- 15. Waste materials must not be permitted to accumulate in or around buildings but must be removed daily. Receptacles in which refuse material, resulting from the sorting or repacking of eggs, can be placed shall be provided. Such receptacles shall contained a suitable denaturant while in use.
- 16. Adequate toilet facilities shall be provided for employees; if possible these toilets should be provided with flush closets and urinals. All toilets must be kept clean at all times.
- 17. No employer shall require, permit, or allow any person to work in a coldstorage warehouse who is affected with any communicable disease.
- 18. The license granted by the State department of health to operate a coldstorage warehouse shall be framed and displayed in the warehouse.

Oyster-Shucking Houses—Sanitary Regulation. (Reg. Dept. of H., Aug. 22, 1916.)

- 1. Every building or room used as a shucking house shall be constructed and equipped as hereinafter provided, and the operations carried on in such building or rooms shall be conducted in such a manner that the purity and wholesomeness of the shellfish handled therein shall not be impaired.
- 2. All rooms in which shucked oysters are packed, stored, washed, or otherwise handled shall be separate and apart from the rooms in which oysters are opened.
- 3. Rooms in which oysters are shucked and in which shucked oysters are packed shall be provided with smooth, water-tight floors which can be readily cleansed, and such floors must be cleansed daily. The side walls of such rooms shall be constructed of smooth, hard material. Side walls and ceilings shall be kept in a clean condition at all times.
- 4. All shucking houses shall be adequately lighted and ventilated and shall be provided with an abundant supply of hot and cold water. During the fly season all windows and doors shall be provided with screens.
- 5. All shucking houses must be provided with adequate drainage to lead all waste liquids outside the building and into a suitable sewer or cesspool, or to some other point where they can be disposed of without creating a nuisance. Waste liquids must not be disposed of by emptying into any stream in which shellfish are grown or floated.
- Shucking benches constructed of smooth, hard material which can be readily cleansed must be provided, and such benches shall be kept in a clean condition.

- Suitable receptacles for shells and waste materials, conveniently located to the benches where oysters are shucked, must be provided.
- 8. All utensils and containers in which shucked oysters are placed must be of such material and construction as to enable them to be readily cleansed. They must be thoroughly cleansed and then scalded out with hot water or steam before beginning each day's work. Knives used by shuckers must be subjected to the same treatment.
- Shucked oysters may be washed with clean, unpolluted water for a period not in excess of five minutes. The soaking of shucked oysters in fresh or salt water is prohibited.
- 10. A solid pack shall be required when shucked oysters are sold by measure. For the purpose of this rule a solid pack will be understood to mean oysters which have been drained substantially of all their adhering liquor.
- 11. Shucked oysters offered for shipment must be packed in closed containers and thoroughly iced. Oysters must not be packed in contact with ice.
- 12. Oysters must be shipped the same day they are opened unless stored at a temperature of 45° F. or below, or packed in shipping containers and thoroughly iced.
- 13. Cans in which shucked oysters are shipped must not be used a second time for this purpose.
- 14. Waste materials must not be permitted to acumulate in rooms where shucked oysters are packed and such materials must be removed daily.
- 15. All shucking houses shall be provided with running water, soap and clean towels to enable employees to wash their hands. Employees shall be required to wash their hands before beginning work and after visiting the toilet.
- 16. The outer clothing worn by persons engaged in shucking oysters shall be of material which can be readily cleansed and only clean garments shall be worn.
- 17. No persons with infectious wounds in the hands or arms shall be permitted to open oysters or handle the same.
- 18. No person afflicted with any communicable disease shall be employed in any shucking house nor shall any person so affected be permitted to enter the rooms of such shucking house where oysters are opened, packed or otherwise handled.
- 19. No person shall be allowed to live or sleep in any room where oysters are shacked or packed.

OHIO.

Poliomyelitis-Quarantine-Disinfection. (Reg. Bd. of H., Sept. 21, 1916.)

- The minimum period of quarantine for cases of acute poliomyelitis shall be six weeks.
- The minimum period of quarantine for all children under 16 years of age, who have come in contact with cases of acute poliomyelitis, shall be 14 days from date of last exposure.
- 3. The quarantine of a house for acute poliomyelitis shall include all inmates thereof: Provided, That if proper isolation of the patient and attendants is carried out, all working members of the family over 16 years of age, may resume their work, if such occupation does not bring them in close contact with children, with the permission and under the supervision of the local board of health or health officer.

- 4. Isolation of the patient shall include screening of the room to exclude insects, the exclusion of domestic animals, and proper disinfection for all articles taken out of the room. The number of attendants shall be restricted to the necessities of the case, and such attendants shall not mingle with other persons.
- 5. The sputum and nasal secretions and excretions from the intestines shall be destroyed or disinfected in accordance with the regulations of the State board of health, as outlined in the pamphlet on disinfection. The intestinal discharges so disinfected shall be placed in a flush closet, if one is available, or in a properly constructed privy vault, fly-proof and water-tight, or be buried in a suitable place.
- 6. Quarantine shall persist until disinfection of the room and house has been performed by the health officer or some one appointed for the purpose, in the manner specified by the State board of health.
- 7. Quarantine of a house for acute poliomyelitis shall preclude the production, sale, handling, or exchange of all food products, including milk, butter, or cream: *Provided*, That where such production, sale, handling, or exchange can be moved to noninfected premises and performed by persons who have not come in contact with the disease, permission to continue may be granted by the local board of health or health officer.

VIRGINIA.

Poliomyelitis—Notification of Cases—Quarantine—Placarding—Disinfection. (Reg. Bd. of H., Aug. 24, 1916.)

86. As soon as a diagnosis of acute anterior poliomyelitis (or infantile paralysis) is made by the attending physician, he shall notify the parent, householder, or other responsible person of the existence of acute anterior policmyelitis on the premises, and quarantine shall begin immediately without further action. The attending physician shall then immeditaely notify the local health officer and the State board of health of the existence and location of the case. The patient shall at once be placed and shall remain until released (as hereinafter provided) in strict isolation; that is to say, the patient and nurse or attendant shall occupy a room or rooms to themselves, completely protected by screening against flies and other insects and as far away from the rest of the family as possible. No other persons except the attending physician or the health officer shall enter this room or these rooms during the period of isolation. No article of food, clothing, or of anything that can carry the germs of the disease shall be taken from the isolated room or rooms except after being properly disinfected under the direction of the physician or health officer. This shall apply with all force to all body wastes and the other vessels used therefor, as well as to food, clothing, flowers, books, toys, mail, etc. No domestic animal or fowl shall be allowed within the room or rooms during the period of isolation and any such animals or fowls within the building at the time quarantine is declared shall be kept from the building and safely confined away from possible contact with patient until the end of the period of isolation.

.87. During the period of isolation all persons 16 years of age or under, resident on the premises, shall be confined to the premises and may not leave during the period of isolation, except as provided by rule 90. Adults, other than those excepted below, may attend their regular vocation, but shall not enter any school, church, Sunday school, public meeting or other place which children frequent or attend. Adults engaged in any industry connected with the prep-

aration or handling of milk or food, or with any factory, school, office, shop, store, or other place where persons 16 years of age or under are or may be employed or may congregate shall not work at or frequent such places during the period of isolation.

88. At the entrance to the premises under quarantine there shall be posted notice announcing the presence of the disease and warning persons not to enter. No person, except adults resident on such premises, health officers, and attendant physicians shall be permitted to enter the premises during the period of isolation unless given permission to do so by the health officer.

89. When the case has recovered and all active symptoms have ceased, but not in any case until at least six weeks after the onset of the disease and after all infected rooms and goods shall have been disinfected, the isolation shall be terminated.

90. Children exposed to infantile paralysis but who have not developed symptoms of the disease may, in the discretion of the health officer, be isolated elsewhere than on the infected premises, provided such isolation shall not be on premises where there are children 16 years of age or under. If the children so isolated do not develop infantile paralysis, they may be released by the health officer after 14 days from time of transfer.

91. Disinfection for infantile paralysis shall be in accordance with sections 49 to 56, inclusive, of the rules and regulations of May 5, 1916, and the burial of persons dying of infantile paralysis shall be in accordance with the provisions of sections 57 and 58 of the rules and regulations of May 5, 1916, which are bereby extended to include infantile paralysis.

92. The State health commissioner is authorized to amend and issue supplemental orders and rules to meet emergencies, in dealing with infantile paralysis, not covered by these rules and regulations or by others heretofore issued.

Poliomyelitis-Prevention-Entrance of Children into State. (Reg. Bd. of H., Aug. 24, 1916.)

Rule 1. No steam railway, steamship, motor, electric or other transportation company or common carrier and no individual operating any boat, ferry, motor car, carriage, van, wagon, or any other conveyance of any sort shall transport into Virginia any person suffering from or reasonably suspected of suffering from acute auterior poliomyelitis or any person under 16 years of age who, within the two weeks preceding the time such person seeks to enter Virginia shall have come directly or indirectly from the State of New York, the State of Pennsylvania, or the State of New Jersey, unless such person be a lawful resident of the State of Virginia.

Rule 2. Lawful residents of the State of Virginia under 16 years of age, temporarily in the State of New York, the State of Pennsylvania, or the State of New Jersey may return by direct journey to their residence within the State of Virginia, unless they be suffering from infantile paralysis; but they shall report within 12 hours after their arrival to the nearest health officer and shall remain in quarantine under his direction for two weeks, subject also to such quarantine as may be imposed by the local board of health.

Rule 3. No person whom any railroad, steamship, motor, electric, or other transportation company or common carrier or whom any individual operating any boat, ferry, motor car, carriage, van, wagon, or any other conveyance of any sort is prohibited from transporting into Virginia shall enter the State on foot, by water, or in any other manner; and such person attempting to

¹ Pub. Health Reports, July 28, 1916, p. 2037.

enter the State shall be jointly liable with the company or individual transporting such person, in addition to incurring the penalties by law provided in such cases.

Rule 4. Every steam railway, steamship, motor, electric, or other transportation company, every common carrier and every individual operating any boat, ferry, motor car, carriage, van, wagon, or any other conveyance of any sort by which any person under 16 years of age may enter Virginia shall exercise due diligence in seeing that this quarantine is observed. To that end, every such company, carrier, and individual aforesaid, transporting persons into Virginia shall prepare and require every person under 16 years of age who is a lawful resident of Virginia and wishes to return to the State from the State of New York, the State of Pennsylvania, or the State of New Jersey, either to sign in person or through the guardian or other person accompanying such person under 16 years of age, a certificate in the following form, to wit:

	(Place and date.)
Mr. lawful worldenes	in Virginia is:
my lawith residence	(Place: Street and number also for cities.)
My parents are:	
any parente are tree	(Names.)
Their address is:	
then address as	(If same as personal address, write "same.")
I am voturning from	·
i am recurning from	(Place of departure in New York, New Jersey, or Pennsylvania.)
I agree to travel directly thealth office and to observe the	to my lawful residence, to report within 12 hours after my arrival to the nearest quarantine requirements of the State and local boards of health.
(Signed)	
(Signed)	(Write legibly.)
By .	
,	(Name of attendant, if child can not write.)
Railroad Co. and 1	
Ticket destination	(To be noted by conductor, purser, etc.)

Rule 5. It shall be optional with the transportation company, common carrier, or individual transporting into Virginia any lawful resident of State, under the age of 16 years, as provided in rules 3 and 4 to require such person to sign the certificate prescribed in rule 4 either prior to purchasing or bargaining for transportation, or while making the journey into Virginia, but in case any such person while making the journey into Virginia, declines to sign the said certificate, or is reasonably suspected of fraud in doing so, the said transportation company, common carrier, or individual transporting such person shall forthwith return the said person to the Virginia line, separated from other persons who may be on the same train, boat, ferry, motor car, electric car, or other conveyance.

RULE 6. The certificates signed as required in rule 5 shall be collected by the conductor, purser, driver, chauffeur, or other person responsible for the transportation of any person permitted to sign such certificate. He shall write on such certificate the ticket-destination of such person, or the point to which said.

person has purchased transportation, and shall daily, either directly or through his company, forward same to the State health commissioner. The health commissioner shall thereupon notify the local health officer at the destination of the arrival of such person, in order that the quarantine imposed by these rules may be strictly and lawfully enforced.

RULE 7. Exceptional cases affected by this quarantine may be handled in the discretion of the health commissioner, who is hereby authorized to use the powers conferred upon him by law and to make such supplemental orders and rules as emergency may require.

Tuberculosis—Restraint of Persons Suffering From, Who are a Menace to Others. (Ch. 226, Act Mar. 17, 1916.)

1. That all persons who are suffering from tuberculosis who shall violate the laws prohibiting expectoration in public places and vehicles, or who shall deliberately and continuously place the health of any other person in danger of infection with such disease, shall, upon motion of any member of the board of health of any county or city in the Commonwealth, before the circuit court of said county or city, be summoned to appear before said court to answer said charges, and if, after a hearing, it be found that such person is guilty of the conduct charged and is a menace to the health of the public, or is unnecessarily exposing other persons to infection with tuberculosis, the said court may order such person be restrained and detained for a period not exceeding 12 months in some suitable place, or be required to give bond in a penalty to be determined by said court, conditioned upon a cessation of the practices complained of for such period, not exceeding 12 months, as the court may determine. Said court may at any time, for good cause shown, rescind or modify such order or make such other disposition of said person as may be authorized by existing laws.

Tuberculosis—Establishment and Maintenance of Sanatoria by Counties and Cities. (Ch. 397, Act Mar. 20, 1916.)

- 1. Whenever a petition is presented to the circuit court of any county or corporation court of any city, signed by a number of qualified voters equal to 15 per cent of those voting at the last preceding general election, who are resident freeholders of such county or city, setting forth the desirability of establishing therein a sanatorium for residents of the same who are suffering from tuberculosis, said court shall order a special vote, which may be held on any regular election day, for the determination of the question whether such sanatorium shall be established.
- 2. The manner of calling and holding such election shall be the same as that for calling and holding elections as to the issuance of county and city bonds, and the qualifications of voters at such elections shall be the same as those entitled to vote at elections on the question of issuing bonds.
- 3. Special ballots shall be used at such election, upon which shall be printed "For sanatorium" and "Against sanatorium," and the voters shall indicate their preference by erasing the words which do not represent their views.
- 4. If a majority of the voters voting at such election shall be in favor of the establishment of such sanatorium, then the board of supervisors of the county or the council or other governing body of the city shall levy a tax to procure a sum sufficient to establish said sanatorium, which shall be erected and maintained for such county or city in such location and under such management as shall be chosen by the board of health of such county or city. The board of health shall have the right to lease or purchase such grounds and buildings, apparatus, and supplies as in their judgment may be necessary to establish

and equip such sanatorium, and shall in all respects have full management and control of the property and persons employed in the maintenance and operation of the sanatorium, and said board, with the concurrence of circuit court by proper decree entered, may sell land and building bought for this purpose and buy others.

- 5. The board of health of such county or city shall have the right to call upon the State board of health for expert examination of locations and buildings, and advice as to the construction and equipment of all structures to be used in the work of the institution.
- 6. The board of health of such county or city shall adopt regulations for the admission of patients, fixing the amounts to be contributed by them to their care and treatment, and shall have the right to provide for the care and treatment of such as may be unable to make such contribution.
- 7. If two or more counties, or a city and one or more counties, or a county and one or more cities in any judicial circuit in this State shall at the same time, or different times, vote for the establishment of a sanatorium in each of said counties and cities, the board of health of part or all of said cities and counties may jointly petition the judge of the court to permit the said counties or cities aforesaid to unite in the establishment of a sanatorium for persons suffering from tuberculosis in any of said counties and cities, or to unite in the maintenance of any sanatorium which may have been established by any one or more of said counties or cities; and the said judge or court may permit the joint maintenance of such sanatorium, and in that event said judge or court shall appoint, in his discretion, not less than one nor more than three residents of each of the counties or cities uniting in said petition, who shall constitute the sanatorium board for such judicial circuit. Said board shall have all the powers and duties of a city or county board of health as set forth in sections 4, 5, and 6 of this act.

In addition, it may receive contributions made by each of the cities and counties uniting in the establishment or maintenance of the said sanatorium from individual societies or other sources and shall be under the general supervision of the State board of health. All the members of said board shall hold office for a period of four years from the date of their appointment and until their successors have qualified. They shall receive no salary, but the said counties and cities may make such provision as they may deem proper for the payment of the actual expenses of the members of the said board.

8. The board of supervisors of any county and the council or other governing body of any city or town may unite with other counties, cities, or towns in establishing and maintaining, without the referendum above mentioned, such institutions, which shall thereafter be under the joint management of the contributing counties, cities, or towns in the same manner as those mentioned in the preceding sections of this act.

Tuberculosis-Indigent Patients-Maintenance at State Sanatoria. (Ch. 260, Act Mar. 16, 1916.)

1. That an act entitled an act providing funds to help maintain indigent consumptives at the Catawba sanatorium, approved the 15th day of March, 1910, be amended and reenacted so as to read as follows:

The board of supervisors of any county or council or other governing body of and city or town may, at their discretion, on the advice of the State or county board of health, appropriate money to convey to and help to maintain at any of the State sanatoria any indigent person known to be suffering from tuberculosis: Provided, That all persons so helped shall have been residents and citizens of such county, city, or town for at least 12 months.

State Board of Health-Organization. (Ch. 192, Act Mar. 16, 1916.)

1. That section 1 of an act entitled an act to amend and reenact sections 1, 2, 3, and 4 of an act entitled an act providing for the appointment of a State board of health and of local boards of health, defining the duties and powers and compensation thereof, and of the members, officers, and agents in connection with the preservation of public health; and prescribing penalties against witnesses falling to obey subpænas issued by said State board of health, or any authorized member thereof, for refusing to testify or otherwise acting in contempt of said State board or its duly authorized members, approved March 7, 1900 (section 173d, code of 1904); to repeal sections 1714, 1715, 1716, 1717, and 1718 of the Code of Virginia, 1887, and all other acts and parts of acts in conflict herewith; to provide for the appointment of a health commissioner and assistants, to define their duties, to provide for their compensation, and to appropriate money to carry the provisions of this act into effect, approved March 14, 1908, to be amended and reenacted so as to read as follows:

Section 1. On and after the 1st day of July, 1908, the State board of health shall consist of 12 members appointed by the governor, who shall be members of the State medical society, one of whom shall be chosen from each congressional district in the State, and in addition two from the city of Richmond. These members shall hold office for the period of one, two, three, and four years, respectively, as may be determined by lot after their appointment, and thereafter there shall be annually appointed three members to serve for the term of four years, respectively.

In addition to the members above mentioned, two residents from the State at large shall be appointed for a term of four years, one of whom shall be a member of the State dental association.

The board shall meet annually in the city of Richmond and at such other times and places as they may determine. They shall elect from their number a president and secretary, who shall perform the usual duties of such offices, in addition to the particular duties prescribed by law. The board may adopt by-laws for their government and may make such rules and regulations not inconsistent with law as they may deem proper. Five members shall constitute a quorum for the transaction of any lawful business.

Common Towels-Prohibited in Public Lavatories. (Ch. 160, Act Mar. 11, 1916.)

1. That it shall be unlawful for any person, firm, or corporation to use, permit to be used, or place for use roller towels or other towels used in common in any public layatory, in any building, or in any railway train or steamboat.

2. Any person, firm, or corporation violating the provisions of this act shall be guilty of a misdemeanor, punishable by a fine of not less than \$5 nor more than \$100 for each offense.

Water Supplies—Supervision and Control by State Board of Health. (Ch. 360, Act Mar. 20, 1916.)

1. That the term "waterworks," whenever used in this act, shall be construed to mean and include all structures and appliances used in connection with the collection, storage, purification, and treatment of water for drinking or domestic use and the distribution thereof to the public or more than 25 individuals, except only the piping and fixtures inside the buildings where such water is delivered. The term "water supply," whenever used in this

act, shall be construed to mean and include water that shall have been taken into waterworks as hereinbefore defined from all streams, springs, lakes, and other bodies of surface water, natural or impounded, and the tributaries thereto, and all impounded ground water: *Provided*, That nothing in this act shall be held to apply to any waters above the point of intake of such waterworks.

- 2. The State board of health shall have general supervision and control, in accordance with the provisions of this act, over all water supplies and waterworks in the State in so far as the sanitary and physical quality of waters furnished may affect the public health or comfort.
- Said board may cause examination of such water supplies to be made to ascertain their purity and fitness for drinking or domestic use or their liability to impair the public health.
- 4. Said board shall, when requested, consult with and advise the authorities of cities and towns and persons having or intending to have waterworks installed as to the most appropriate source of water supply and the best method of assuring its purity, without any expense to such authorities or persons; but said board shall not prepare plans, specifications, or detailed estimates for any proposed improvement.
- 5. No individual, firm, institution, corporation, or municipal corporation shall supply water for drinking or domestic purposes to the public within the State from or by means of any waterworks that shall hereafter be constructed or extended, either in whole or in part, without a written permit from the State board of health for the supplying of such water; except that this provision shall not apply to the extension of water pipes for the distribution of water. The application for such a permit shall be accompanied by a certified copy of the maps, plans, and specifications for the construction of such waterworks or extensions, and a description of the source or sources from which it is proposed to derive the supply and the manner of storage, purification, or treatment proposed for the supply previous to its delivery to consumers; and no other or additional source of supply shall subsequently be used for any such waterworks, nor any change in the manner of storage, purification, or treatment of the supply be made without an additional permit to be obtained in a similar manner from the State board of health. Whenever application shall be made to the State board of health for a permit under the provisions of this section it shall be the duty of said board to examine the application without delay, and as soon as practicable thereafter to issue said permit if, in its judgment, the proposed supply appears not to be prejudicial to the public health, or to make an order stating the conditions under which said permit will be granted.
- 6. Whenever an investigation of any water supply or waterworks within the boundaries of the State is undertaken by the State board of health to ascertain the purity or fitness of the water furnished to the public for drinking or domestic purposes, it shall be the duty of the individual, firm, institution, corporation, or municipal corporation having in charge the water supply or waterworks under investigation to furnish, on demand, to the State board of health, or the authorized agent of said board, such information relative to the source or sources from which the said supply is derived, and the manner of storage, purification, or treatment of the water before its delivery to the consumers, as may be necessary or desirable for the determination of its sanitary or physical quality. In making said investigation authorized agents of said board shall be allowed to enter any premises or buildings constituting a part of a water supply or waterworks for the purpose of inspecting same and ascertaining whether orders, as provided for under this act, are obeyed.

7. When, upon investigation, the State board of health finds that a water supply furnished to the public for drinking or domestic purposes is a menace to health, said board is hereby given authority to make an order requiring such changes in the source or sources of said water supply or such alterations or extensions in the waterworks as said board may deem necessary. Said board shall name in its order such date for the completion of the works as said board may deem reasonable and proper, and it shall be the duty of the individual, firm, institution, corporation, or municipal corporation having in charge such water supply or waterworks to fully comply with said order within the time prescribed. As soon as said order of the State board of health, or the modified form of the order of the court, as hereinafter provided for, shall have been shown, upon investigation, to have been complied with fully, said board shall issue a written permit to the individual, firm, institution, corporation, or municipal corporation to furnish water to the public for drinking or domestic purposes.

8. Every permit issued by the State board of health under this act shall be revocable at any time it is shown by investigation that the waterworks can no longer be depended upon to furnish a water safe for drinking or domestic use, or that the capacity of said waterworks is inadequate for the purpose of furnishing water safe for drinking or domestic use, provided that a written notice is sent by said board to the individual, firm, institution, corporation, or municipal corporation in charge, together with an order requiring such changes in the water supply or waterworks as, in its judgment, may be necessary to safeguard the public health. Any permit issued by the State board of health may be specified to run a certain definite period, and said permit shall become inoperative at the expiration of the period of time without notice to that effect having been given by the State board of health.

9. Whenever the board shall issue an order to an individual, firm, institution, or corporation under the provisions of this act said board shall appoint a time and place within the county, city, or town where such waterworks exist for a hearing on the subject, said hearing to be not less than two nor more than six months from the entry of such order. At such a hearing the State board of health shall attend in person or shall deputize a committee of said board to attend or shall authorize the State health commissioner to act for and in the name of said board touching said hearing. At any such hearing all persons interested may appear and be heard and may present the testimony of expert and other witnesses, and said board may hear witnesses called upon its own motion. The State board of health shall have power to issue, in the name of the board, subpænas for the attendance of witnesses and the production of books, papers, and maps relative to the sources of the water supply and the manner of storage, purification, or treatment of said supply before its delivery to the public, at any hearing before said board in any part of the State, as previded by law. The officer of said board presiding at any hearing shall have power to administer oaths and certify to all official acts of the board. After such hearings said board shall issue such final order as, in its judgment, may be required to protect the public health, and notice of said final order shall be sent to all parties concerned.

10. Any individual, firm, institution, or corporation dissatisfied with such order or final order of, or by the granting or refusal to grant any permit by the State board of health, or believing that such order granting or refusal to grant such permit to be illegal or unreasonable or that said order is not necessary for the protection of the public health, may, within 30 days after the making of said order or final order or the granting or refusal to grant such permit, appeal to any court of competent jurisdiction, and the said court shall

render a decision approving, setting aside, or modifying the said order or final order or stating the conditions for the granting of said permit.

11. Failure on the part of an individual, firm, institution, or corporation to obtain a written permit from the State board of health, as provided for under 5, or to comply fully with an order issued by said board, under the provisions of this act shall be deemed a misdemeanor and punishable by a fine of not less than \$20 nor more than \$100 for each offense, each day in which such failure is made being considered to constitute a separate offense. All penalties under this act are to be recovered by the State in civil action brought by the attorney general in the name of the Commonwealth.

12. Any municipal corporation disobeying any order duly issued by the State board of health, under the provisions of this act, may be compelled to obey same by mandamus or other appropriate remedy by any court of competent jurisdiction.

13. In all actions and proceedings for the enforcement of orders of the State board of health, under the provisions of this act, the attorney general shall represent the said board, except in proceedings to which the State or any of its public institutions is a party defendant, and in such cases the board is authorized to employ special counsel.

14. Any provisions in any charter heretofore granted to any person, company, institution, corporation, or municipal corporation in conflict with the provisions of this act are hereby repealed.

Schools—Construction of Privies—Drinking Fountains or Individual Drinking Cups Required. (Reg. Bd. of H., Aug. 24, 1916.)

No county school board or district school trustees shall authorize or permit the opening of any public school in the Commonwealth, and no president, principal, board of trustees, or other responsible head of any private school of any description in the Commonwealth shall authorize or permit the opening of any such school in the Commonwealth of Virginia for the session of 1916–17 until said school shall have been provided with two sanitary privies, one for females and one for males, each of which privies shall be so constructed that the contents thereof shall not be accessible to flies and can not endanger any source of water supply.

Nor shall any county school board or district school trustees authorize or permit the opening of any public school in the Commonwealth, or any president, principal, board of trustees, or other responsible head of any private school of any description authorize or permit the opening of any such school in the Commonwealth of Virginia for the session of 1916–17 until said school shall have been provided with a sanitary drinking fountain of a type approved by this board, or shall have required the public [sic] of such school to have and to use individual drinking cups or glasses.